# Index for Volume 92

**AUTHOR AND SUBJECT INDEX.** Pages indicating errata are in italic. "S" indicates supplement pages. "A" indicates abstract not included in supplement. Publication number P-2002-1028-01O.


Abad, J. A., S1, *1026*, S59
Abad, Z. G., S1, *1026*
Abadias, M., 281
Abawi, G. S., S62
Abbas, H. K., S1, S87
Abbasi, P. A., S1
Abbo, S., 417
*Abies concolor*, dwarf mistletoe interaction, in Sierra Nevada, 597
Abney, T. S., S39
Abreu, D., S131
Abril, M., 1055
Abstracts
—annual meeting, S1
—Caribbean Division, S114
—North Central Division, S137
—Northeastern and Potomac Divisions, S142
—Southern Division, S148
Abt, J. J., 1167
Abu-El Samen, F. M., S137
Accotto, G. P., S132, S136
Acevedo, R., S114, S125, S132
Achor, D., A1024
*Acidovorax avenae*
—on corn and rice, phylogeny, S66
—on watermelon: chemical and insertional mutagenesis, S57; new in Illinois, S5; seed infection, S84
Ackerman, J., 1167
*Acremonium implicatum*, on *Brachiaria*, endophytic, detection, S41
Adams, G. C., S1, S7
Adams, K., S64
Adaskaveg, J. E., S2, S19, S20, S26
Adela Santos, M., S119
Adhikari, T., S2
Adkins, S., S2, A1024
Aerobiology, spore dispersal across spatial scales, S97
Afunian, M., S2
Agama, K., 190, S46
Agarkova, I. V., S2
Agramonte, D., S125
*Agrobacterium tumefaciens*
—interactions on inert and plant surfaces, S97
—*ros* gene, S84
Aguiar, E., S119, S131
Aguilar Ríos, J., S123, S132
Aguilar, E., S119, S127
Ahlers, C. A., S145, S146
Ahmed, H. U., S18
Aisa, P. H., S2
Aist, J. R., 900
Ajwa, H. A., 1349
Akimitsu, K., 794, S7
Akinsanmi, O. A., S2
Alabouvette, C., 936
Alameda, M., S114
Albano, J. P., S71
Alberte, R. S., 378
Alcino da Silva, J., S118, S132
Alderman, S. C., S52
Alexander, S. A., S142
Alfalfa
—*Aphanomyces euteiches*, PCR assay, quantification, 265
—*Pythium* spp., biocontrol by *Pseudomonas*, S3
—*Sclerotinia trifoliorum*, effect on *Sclerotium rolfsii* resistance, 204
—witches'-broom, new phytoplasma, in Oman, 1038
*Alfalfa mosaic virus*
—on snap bean, reaction, S140
—on soybean, chimeric rabies peptide, letter to editor, 1260
Alfano, J. R., S102
Alfenas, A. C., S122
Alfonso, I., S132
Alfonso-Rubí, J., S114, S119, S131
Ali, S., 38, S3
Alkowni, R., S3
Alleman, R. J., S137
Allen, C., S3
Allen, J. B., S3
Allen, T. W., Jr., S148
Alleyne, A. T., S3
Allison, K., A1025
Almándoz, J., S114
Almeida, R. P. P., S3
Almond, leaf scorch, leafhopper transmission, S3
Alonso, M., S115
Al-Saadi, A., S3
Al-Subhi, A. M., 1038
Alteri, C., 734
*Alternaria* spp.: *Astragalus* and *Oxytropis*, seed tissue and toxicity, S70; on pistachio, molecular characterization of isolates, 406; phylogenetic relation, *Embellisia* and *Nimbya*, S7
—*A. alternata*, on citrus: ecology, S7; phylogeography worldwide, 794
—*A. brassicicola*, on *Arabidopsis thaliana*: interaction using functional genomics, S45; pathogenesis genes, S17
—*A. porri*, on onion, resistance induction in greenhouse, S4
—*A. solani*, on tomato, control factors, S130
Altier, N., S3
Alvares, Y., S133
Alvarez, A. M., S4, S27
Alvarez, C., S131
Alves-Santos, F. M., 237
Amaranth, Pythium stem canker, S8
Ambrozio, M. R., S82
Amedeo, P., S102
American Phytopathological Society
—annual report, 15
—extension award, 25
—fellows, 19
—industry award, 26
—international sevice award, 28
—Lee Hutchins award, 29
—officers, representatives, and committees, 13
—presidential address, Slack, 17
—Ruth Allen award, 30
—Syngenta award, 31
—teaching award, 27
Ammermann, E., S4, S79
Amsellem, Z., 590
Anas, O., S35
Anders, M., S56
Andersen, R. L., S33
Anderson, A. J., S38, S51
Anderson, J. A., 527
Anderson, J. M., S2, S5, S68
Anderson, M., S141
Anderson, P. K., S109
Anderson, R. J., 1167
Andrews, D. L., S27
Andrews, J. A., S53
Andrews, J. H., S78
Andrie, R. M., S51
*Andropogon gerardii*, in tallgrass prairie, spring burning and fungicide effect, S58
Animal and Plant Health Inspection Service, careers in, S112
Annis, S. L., S64
Anthurium
—blight, detection by bacteria, S4
—transgenic, peptide effect on bacteria, S27
Antibiotics, bacterial diseases, future, S107
Apel-Birkhold, P. C., 833
*Aphanomyces* spp.
—*A. cochlioides*: green manure and soil solarization, S9; oospores, modeling survival, S22
—*A. euteiches* on alfalfa, PCR assay to quantify, 265; on pea, resistance gene detection, S138
*Aphis glycines*, on soybean, transmission by *Alfalfa mosaic* and *Clover yellow mosaic viruses*, S137
Appel, D., S4
Apple
—blister rot, diagnosis with PCR, *hrpL* gene primers, 1077
—blue mold, disease control agents induce resistance, 900
—blue mold and bitter rot, control strategy, S46
—canopy, leaf wetness duration variation, S6
—*Colletotrichum acutatum*, calcium chloride effect, S63
—discrete speck, sooty blotch and flyspeck complex, S6
—disease control program, trifloxystrobin and kresoxim-methyl, S146
—fire blight: bentamicin for, S55; biocontrol with *Pantoea agglomerans*, 1202; gentamicin for control, health implications, S87; *Hedera helix* extract effect, S115; new antibiotic formulation, tests, S54; plant growth regulators, S108; prohexadione-Ca effectiveness, S147
—postharvest, *Penicillium expansum*, fludioxonil, S145
—postharvest disease, biocontrol with *Muscodor albus*, S55
—powdery mildew, incidence and density relations, 1005
—scab: ascospore distribution in orchards, 769; genes as resistant locus, S2
—shoot blight, streptomycin sulfate efficacy, S60
—sooty blotch and flyspeck complex: fungicide effects, S6; ribosomal DNA, S6; warning system, wetness effects, S29
*Arabidopsis* spp.: bacterial wilt, ethylene-insensitive mutant, symptom delay, 1142; hypersensitive response cell death, loss, S103; *Pseudomonas* on, general resistance, S138
—*A. thaliana*: *Cauliflower mosaic virus*, resistance breakage, 190; fungal pathogens, analysis, S103; *Streptomyces* spp., endophytic colonization, S16
*Arachis* spp., root-knot, resistance in interspecific hybrids, S15
Aranda, M. A., 842
Araújo, W., L., 1048
Arboleya, J., S4
*Arceuthobium* spp., host interaction in mixed-conifer forests, Sierra Nevada, 597
Arencibia, A., S120, S121, S122, S133
Arene, L., 314
Arias, A., S3
Arias, G. G., S122
Armas, R., S119, S131
*Armillaria* spp.: ecological behavior in population, S95; prescribed burning effects, S39
—*A. tabescens*, phenotypic and genotypic variation in isolates, S73
Arnason, J. T., S7
Arocha, Y., S115
Arora, N., S58
Arrebola, E., 909

# Index for Volume 92

**AUTHOR AND SUBJECT INDEX.** Pages indicating errata are in italic. "S" indicates supplement pages. "A" indicates abstract not included in supplement. Publication number P-2002-1028-01O.


Abad, J. A., S1, *1026*, S59
Abad, Z. G., S1, *1026*
Abadias, M., 281
Abawi, G. S., S62
Abbas, H. K., S1, S87
Abbasi, P. A., S1
Abbo, S., 417
*Abies concolor*, dwarf mistletoe interaction, in Sierra Nevada, 597
Abney, T. S., S39
Abreu, D., S131
Abril, M., 1055
Abstracts
—annual meeting, S1
—Caribbean Division, S114
—North Central Division, S137
—Northeastern and Potomac Divisions, S142
—Southern Division, S148
Abt, J. J., 1167
Abu-El Samen, F. M., S137
Accotto, G. P., S132, S136
Acevedo, R., S114, S125, S132
Achor, D., A1024
*Acidovorax avenae*
—on corn and rice, phylogeny, S66
—on watermelon: chemical and insertional mutagenesis, S57; new in Illinois, S5; seed infection, S84
Ackerman, J., 1167
*Acremonium implicatum*, on *Brachiaria*, endophytic, detection, S41
Adams, G. C., S1, S7
Adams, K., S64
Adaskaveg, J. E., S2, S19, S20, S26
Adela Santos, M., S119
Adhikari, T., S2
Adkins, S., S2, A1024
Aerobiology, spore dispersal across spatial scales, S97
Afunian, M., S2
Agama, K., 190, S46
Agarkova, I. V., S2
Agramonte, D., S125
*Agrobacterium tumefaciens*
—interactions on inert and plant surfaces, S97
—*ros* gene, S84
Aguiar, E., S119, S131
Aguilar Ríos, J., S123, S132
Aguilar, E., S119, S127
Ahlers, C. A., S145, S146
Ahmed, H. U., S18
Aisa, P. H., S2
Aist, J. R., 900
Ajwa, H. A., 1349
Akimitsu, K., 794, S7
Akinsanmi, O. A., S2
Alabouvette, C., 936
Alameda, M., S114
Albano, J. P., S71
Alberte, R. S., 378
Alcino da Silva, J., S118, S132
Alderman, S. C., S52
Alexander, S. A., S142
Alfalfa
—*Aphanomyces euteiches*, PCR assay, quantification, 265
—*Pythium* spp., biocontrol by *Pseudomonas*, S3
—*Sclerotinia trifoliorum*, effect on *Sclerotium rolfsii* resistance, 204
—witches'-broom, new phytoplasma, in Oman, 1038
*Alfalfa mosaic virus*
—on snap bean, reaction, S140
—on soybean, chimeric rabies peptide, letter to editor, 1260
Alfano, J. R., S102
Alfenas, A. C., S122
Alfonso, I., S132
Alfonso-Rubí, J., S114, S119, S131
Ali, S., 38, S3
Alkowni, R., S3
Alleman, R. J., S137
Allen, C., S3
Allen, J. B., S3
Allen, T. W., Jr., S148
Alleyne, A. T., S3
Allison, K., A1025
Almándoz, J., S114
Almeida, R. P. P., S3
Almond, leaf scorch, leafhopper transmission, S3
Alonso, M., S115
Al-Saadi, A., S3
Al-Subhi, A. M., 1038
Alteri, C., 734
*Alternaria* spp.: *Astragalus* and *Oxytropis*, seed tissue and toxicity, S70; on pistachio, molecular characterization of isolates, 406; phylogenetic relation, *Embellisia* and *Nimbya*, S7
—*A. alternata*, on citrus: ecology, S7; phylogeography worldwide, 794
—*A. brassicicola*, on *Arabidopsis thaliana*: interaction using functional genomics, S45; pathogenesis genes, S17
—*A. porri*, on onion, resistance induction in greenhouse, S4
—*A. solani*, on tomato, control factors, S130
Altier, N., S3
Alvares, Y., S133
Alvarez, A. M., S4, S27
Alvarez, C., S131
Alves-Santos, F. M., 237
Amaranth, Pythium stem canker, S8
Ambrozio, M. R., S82
Amedeo, P., S102
American Phytopathological Society
—annual report, 15
—extension award, 25
—fellows, 19
—industry award, 26
—international sevice award, 28
—Lee Hutchins award, 29
—officers, representatives, and committees, 13
—presidential address, Slack, 17
—Ruth Allen award, 30
—Syngenta award, 31
—teaching award, 27
Ammermann, E., S4, S79
Amsellem, Z., 590
Anas, O., S35
Anders, M., S56
Andersen, R. L., S33
Anderson, A. J., S38, S51
Anderson, J. A., 527
Anderson, J. M., S2, S5, S68
Anderson, M., S141
Anderson, P. K., S109
Anderson, R. J., 1167
Andrews, D. L., S27
Andrews, J. A., S53
Andrews, J. H., S78
Andrie, R. M., S51
*Andropogon gerardii*, in tallgrass prairie, spring burning and fungicide effect, S58
Animal and Plant Health Inspection Service, careers in, S112
Annis, S. L., S64
Anthurium
—blight, detection by bacteria, S4
—transgenic, peptide effect on bacteria, S27
Antibiotics, bacterial diseases, future, S107
Apel-Birkhold, P. C., 833
*Aphanomyces* spp.
—*A. cochlioides*: green manure and soil solarization, S9; oospores, modeling survival, S22
—*A. euteiches* on alfalfa, PCR assay to quantify, 265; on pea, resistance gene detection, S138
*Aphis glycines*, on soybean, transmission by *Alfalfa mosaic* and *Clover yellow mosaic viruses*, S137
Appel, D., S4
Apple
—blister rot, diagnosis with PCR, *hrpL* gene primers, 1077
—blue mold, disease control agents induce resistance, 900
—blue mold and bitter rot, control strategy, S46
—canopy, leaf wetness duration variation, S6
—*Colletotrichum acutatum*, calcium chloride effect, S63
—discrete speck, sooty blotch and flyspeck complex, S6
—disease control program, trifloxystrobin and kresoxim-methyl, S146
—fire blight: bentamicin for, S55; biocontrol with *Pantoea agglomerans*, 1202; gentamicin for control, health implications, S87; *Hedera helix* extract effect, S115; new antibiotic formulation, tests, S54; plant growth regulators, S108; prohexadione-Ca effectiveness, S147
—postharvest, *Penicillium expansum*, fludioxonil, S145
—postharvest disease, biocontrol with *Muscodor albus*, S55
—powdery mildew, incidence and density relations, 1005
—scab: ascospore distribution in orchards, 769; genes as resistant locus, S2
—shoot blight, streptomycin sulfate efficacy, S60
—sooty blotch and flyspeck complex: fungicide effects, S6; ribosomal DNA, S6; warning system, wetness effects, S29
*Arabidopsis* spp.: bacterial wilt, ethylene-insensitive mutant, symptom delay, 1142; hypersensitive response cell death, loss, S103; *Pseudomonas* on, general resistance, S138
—*A. thaliana*: *Cauliflower mosaic virus*, resistance breakage, 190; fungal pathogens, analysis, S103; *Streptomyces* spp., endophytic colonization, S16
*Arachis* spp., root-knot, resistance in interspecific hybrids, S15
Aranda, M. A., 842
Araújo, W., L., 1048
Arboleya, J., S4
*Arceuthobium* spp., host interaction in mixed-conifer forests, Sierra Nevada, 597
Arencibia, A., S120, S121, S122, S133
Arene, L., 314
Arias, A., S3
Arias, G. G., S122
Armas, R., S119, S131
*Armillaria* spp.: ecological behavior in population, S95; prescribed burning effects, S39
—*A. tabescens*, phenotypic and genotypic variation in isolates, S73
Arnason, J. T., S7
Arocha, Y., S115
Arora, N., S58
Arrebola, E., 909

Arroyo Cordero, F. T., S117
Arsenovic, M., S80
*Arthrobotrys oligospora*
—on putting green soil, chlorothalonil for, S153
—putting greens, parasitic nematode reduction by, S88
Arunyanart, P., S110
Arzola, M., S117, S133
Asparagus, *Fusarium* infection, salicylic acid effect, S35
*Aspergillus* spp., aflatoxin production, in Mississippi, S1
—*A. flavus*: aflatoxin biosynthesis, mutation, S37; on corn, endosperm protein, S15; on corn, granular application for inoculation, S87; wild type and mutant analysis, gene expression, S73
—*A. nidulans*, sterigmatocystin biosynthesis, S91
—*A. niger*, on onion, endophyte, S82
Assaraf, M. P., 956
Assis Filho, F. M. de, 729, S4
Astley, D., 105
Atkinson, H., S76
Attard, A., 1122
*Aureobasidium pullulans*
—on apple, leaf growth pattern, S53
—on apple leaves, population biology, S78
Author index, abstracts, S154
Avant, J. B., 1055
Avila, F. J., S4
Avila-Adame, C., S61
Avilán, L., S128
Avocado, *Colletotrichum gloeosporioides*, fruit protection mechanisms, analysis, 1196
Axtell, C. A., S97
Ayers, J. E., 232
Aylor, D. E., S97
Ayra-Pardo, C., S132
Azad, H. R., S82
Azevedo, J. L., 464

Baayen, R. P., 464, S46
Babadoost, M., S5, S29, S38
*Bacillus* spp.
—*B. mojavensis*, biocontrol agent, ribotyping, A1024
—*B. mycoides*, on strawberry, biocontrol agent, 976
—*B. subtilis*, bean root rot controlled by, crop residue effect, S24
Backhouse, D., S2
Bacon, C. W., A1024
Bacteria
—crop diseases, field diagnosis, portable real-time PCR, S72
—detection, rapid PCR preparation, S54
—detection by real-time PCR, S110
—leaf surface colonization, water role, S97
Bacterial diseases
—field diagnosis, real-time PCR, S110
—PCR technology, review, S110
Bacteriophage, tomato bacterial spot controlled by, S6
Bahadur Meah, M., S124
Bahk, K. K., S5
Bai, X., S5
Bailey, B. A., 833, 1032, S83
Bailey, J. E., S64
Baird, R. E., 893
Bajsa, N., S3
Baker, C. A., S111
Baker, C. J., S40, S48, S69, S122
Baker, S. E., S102
Balagué, C., 1142
Balaji, B., S5
Balbyshev, N., S140
Balconi, C., S28
Baldo, A. M., S102
Bales, S., S111
Balesdent, M. H., 1122
Bally, R., S69
Balogh, B., S6, S60, S108
Banana
—biotechnology and practice in Cuba, S125
—black sigatoka disease: management, S135; toxins for selection, S132
—crown rot and anthracnose, resistant hybrids, S136
—diseases in Madeira Island, Portugal, S132
—El mal de Panama, *Fusarium oxysporum* cause, use of clones, S123
—Moko disease, prevalence mapping, S60
—postharvest fruit rot, control, S124
—root necrosis and associated endophytic fungi, S115
—*Tetranycus* and *Thrips* spp., control in Portugal, S118
*Banana bunchy top virus*, in tissue and aphids, detection, S75
*Banana streak badnavirus*, distribution in Venezuela, S129
Bancal, M.-O., 762
Bandla, M. D., S34
Bandyopadhyay, S., S92
Banno, S., 75
Barak, J. D., S99
Barbierri, L., 970
Bardinelli, T. R., S4, S6, S89
Bargabus, R. L., S6
Barker, B. M., 265
Barker, I., S122
Barker, R., S17
Barley
—covered smut, mating and pheromones, 210
—crown rust, resistance sources, 1064
—deoxynivalenol, light-dependent bleaching, S11
—leaf rust, partial resistance, S120
—leaf scald, molecular markers, S28
—leaf spot, physiological, oxidative stress, 145
—Rhizoctonia root rot, till and no-till fields, S74
—scald, resistance using near-isogenic lines, 710
*Barley yellow dwarf virus*
—aphid tranmission: gene effect on efficiency and symptoms, S48; phenotype effect, 970; specificity, binding protein, S47
—on native grasses, California, S50
Barnes, C. W., S6
Barnes, J. S., S6, S73, S89
Barreto, D., S65
Barrett, T. L., S6
Barrios, H., S110
Barrios, L. M., S115, S128, S129
Bartels, D., S81
Bartelt, R. J., S43
Barton, W., S89
Bartz, J. A., S99
Basinal, L. M., S62
Bastías, G., S121
Batista, L., S115
Batlle, A., S131
Batlle-Viera, A., S115
Batzer, J. C., S6
Baudoin, A., S142
Baulcombe, D. C., S129
Baum, T. J., S20, S27, S37, S85
Bauske, E. M., S76
Bayesian analysis, plant pathology use, S101
Bayles, M. B., 1323
Baysal, Ö., S115
Beach, S., 190
Bean
—root disease, soil compaction effect, S35
—root rot, *Bacillus subtilis* and *Rhizobium* seed inoculation, S24
*Bean dwarf mosaic virus*, on bean, resistance genetics, S75
*Bean golden mosaic virus*, *Bemisia tabaci* association, in Cuba, S119
*Bean pod mottle virus*
—host range in South Dakota, S138
—isolate diversity, 446
—molecular characterization of strains, S32
—on soybean, planting date effect, S29
Beattie, G. A., 1015, S97
Becherer, H. E., S10
Beck von Bodman, S., S144
Beck, H. W., S64
Becker, D., S126
Becker, J. O., S89
Becker, O., 850
Becker, T. M., S7
Beckerman, J., S7
Beckman, T. G., S68
Beebe, S., S133
Beer, S. V., 900, S42, S59, S60, S85
*Beet curly top virus*, in beet leafhopper, detection method, S78
*Beet mosaic virus*, cloning and sequence analysis, S59
*Beet western yellows virus*, on cabbage, relation to *Cauliflower mosaic virus* and *Turnip mosaic virus*, 816
*Beet yellows virus*, gene expression, S104
Begomoviruses
—diversity and management in Latin America, S127
—management, in tropics, S109
—on vegetables, cotton, and weeds, diversity in Guatemala and Honduras, S116
Bejarano, E. R., 842
Bekal, S., S7, S88
Belasque, J., Jr., S12
Bellizzi, M., S8
*Bemisia tabaci*
—begomovirus on, phylogenetic analyses, S116
—biotype evolution, S96
—genome project, DNA microarrays, S116
—*Tomato yellow leaf curl virus* vector, in Dominican Republic, 487
—virus vector on cucurbits, reassortant, 734
Bender, C. L., S91
Benhamou, N., 424
Beno-Moualem, D., 1196
Benson, D. M., S19
Bent, A. F., S40, S53, S65, S67, S103
Bentgrass
—dollar spot, management practices, S146
—take-all, temperature and isolate effects, S146
Berger, P. H., 694
Bergstrom, G. C., 511, S17, S93
Bermudagrass
—dematiaceous hyphomycetes, inoculation technique, S66
—*Pythium*, overseeded golf course greens, in Alabama, S148
—spring dead spot: gene expression, S141; isolate aggressiveness at low temperature, S138
Bermúdez, D., S123
Bernal, A., S130
Bernal, F., S123
Bernard, K., S108
Bernardy, M., 87
Bernier, L., S25, S95
Bertaccini, A. F., 1038
Best, V. M., S83
Betancourt, C., S119
Bethenod, O., 1308
Bettilyon, A., S54
Beyl, C. A., S151
Bhat, R. G., S7, S68, S103
Bhatia, A., S7
Bigelow, D. M., S7
Biggs, A. R., S19, S147
Bily, A. C., S7
Biological control
—apple blue mold resistance induced by agents, 900

—bacterial diseases, effectiveness, S108
—*Botrytis cinerea* in strawberry, biocontrol agent mixtures, 976
—*Candida oleophila* for *Penicillium digitatum* on grapefruit, 393
—*Candida sake* for pear postharvest decay, 281
—*Capnodium* and *Coccus* spp. in coffee fields, in Cuba, S122
—efficacy, adjuvant usage, S50
—environment creation, S98
—Fusarium head blight of wheat, in Ohio, S23
—*Fusarium oxysporum*: *Fot1* element, 936; for Fusarium wilt on cucurbit, 164
—Fusarium wilt of tomato, nonpathogenic species, 1160
—genotype and pathogen strain, match up, S98
—human pathogens, foodborne, S99
—indigenous and introduced agents, S99
—microbial antagonists, pathogen self-defense, S99
—nematodes, holistic approach, S98
—*Pantoea agglomerans* for apple fire blight, 1202
—*Penicillium oxalicum* for tomato Fusarium wilt, 863
—plant nutrition manipulation, S98
—postharvest disease caused by *Colletotrichum coccodes*, 33
—*Pseudomonas fluorescens*, in rhizosphere, population monitoring, 129
—*Pseudomonas putida*: on citrus soil microbial communities repetitive applications, 857; for *Phytophthora parasitica* in citrus, 850
—*Puccinia jaceae* for starthistle control, 355
—soil factors, S98
—systemic resistance induced by, host responses, S6
—tomato bacterial speck, *hrpS* mutants, 1284
—*Trichoderma* spp.: for cotton damping-off, 177; to *Rhizoctonia solani*, *Botrytis cinerea*, S121
—*Trichoderma stromaticum* for *Crinipellis perniciosa* on cacao, 1032
Bird, D., S103
Bjørnstad, Å., 710
Black, L. L., S143
Blackwell, B. A., S7
Blackwell, M., 1276
Blaha, G., S2
Blaine, M. A., S148
Blanc, S., 65, 576
Blankenheim, Z. J., S7
Blehm, E. S., S8, S35
Block, C. C., S8, S56
Blodgett, J. T., S8
Blok, V. C., 884
Blomquist, C. L., 1218
Bloomberg, J. R., S148
Blueberry
—mummy berry disease: current status in North America, S146; infection factors, 1104
—Septoria leaf spot, defoliation and yield, A1025
Bluestem, rust, fire effect on infection, S6
Bluhm, B. H., S8
*Blumeria graminis*, on *Hordeum vulgare* and Arabidopsis, germ tube formation, S23
Boal, R. J., 1210, S88
Bockus, W. W., S42, S140
Boehm, M. J., S23, S40, S80
Boerboom, C., S45, S46
Boher, B., 336
Boland, G. J., 780, S19
Bolick, E. A., S132
Bolton, M., S8, S137
Bonacci, B. B., S67
Bonants, P. J. M., 464
Bond, J. P., S3, S71, S152
Bonde, M. R., 217, S142
Bonello, P., S8
Bonfil, D. J., 417
Boonham, N., S122
Boosalis, M. G., S8
Boozer, R., S76
Borges, O., S117
Borneman, J., 857, S82, S89
Borrás, O., S117, S133, S134
Bos, J., S102
Bostock, R. M., A1024, A1025
*Botryosphaeria dothidea*, on pistachio
—detection of RNA, S14
—isolate characterization in California, 519
*Botrytis cinerea*
—benzimidazole and dicarboximide resistance, in Spain, S82
—biofilm role, biocontrol, S67
—dicarboximide resistance, 75
—in grape and berry and buds, competition, S21
—on strawberry, biocontrol agent, 976
—*Trichosporon pullulans* vector, 1293
Botti, S., 1038
Bottner, K. D., S39
Boudon-Padieu, E., 384
Boudreau, M. A., S21
Boudreaux, J. E., S153
Bouhouche, N., S84
Bourab, K., S103
Bowden, R. L., 1152
Bowen, B. W., 1245
Bowen, K. L., S8, S12, S76, S148
Bowers, J. H., S2, S72
Bowles, M. L., S39
Boyetchko, S. M., S9
Boyhan, G. E., S44
Brading, P. A., 439
Bradley, C. A., S9
Brainard, K. A., 43, 893
Brannen, P. M., S9, S25, A1025
Brantner, J. R., S9
*Brassica* spp.: bacterial pathogens, reaction, S91; black rot, race-specific resistance inheritance, 1134; black rot, resistance sources and origin, 105
—*B. napus*: polygalacturonase inhibitors, stress and infection, S47; stem canker, new avirulence genes, 1122
Brecht, M. O., S148
Breeden, T. S., S9
Breeding
—marker-assisted, future, S106
—microarray use in programs, S106
*Bremia lactucae*, on lettuce, warning system, temperature and solar radiation, 631
Brenneman, T. B., S74, S102, S149, S151, S152
Brinkerhoff, L. A., 1323
Brito, J., S107
Britton, K. O., S13
Brlansky, R. H., S71
Brochereux, C., 336
Brock, J. H., S113
Brodzik, R., 1260
Brolley, B., S18
Bronson, C. R., S80
Brook, M., S91
Brown, A. H. D., S28
Brown, D. (North Carolina), S80
Brown, D. W. (Illinois), S93
Brown, J. E., S9, S79
Brown, J. K. M. (England), 439
Brown, J. K. (Arizona), 734, S9, S38, S96, S116
Brown, L. G., S100
Brown, R. (Canada), S13
Brown, R. L. (Louisiana), 1084, S15
Brownback, L. E., S10
Browne, G. T., S10
Browning, M., S10
Bruckart, W. L., 355, S142, S143
Bruening, G., S10
Brûlé-Babel, A. L., 138
Bruton, B., S90
Buchner, R. P., S49
Bucholtz, D. B., S5
Buck, J. W., S10, S58
Buckley, P. M., S87
Bucklin-Comiskey, S., S45
Buechley, G., S75
Buell, C. R., S102
Buell, R., S77
Bull, C. T., 1356
Bulluck, L. R., III, 181, S10
Burd, J., 970
Burdon, J. J., S28
Burdsall, H. H., Jr., S56
Burgess, M. G., S10
Burke-Scoll, K., S72
*Burkholderia* spp.: biofilm phenotype, biocontrol role, S70; organic agriculture and communities in soil, S16
—*B. cepacia*: biofilm development, regulatory checkpoint, S98; in soil, population dynamics, S35
Burnham, K. D., S10, S11
Burns, J. K., S15
Burpee, L. L., S10, S152
Burr, T. J., S108
Buruchara, R. A., 580
Buschmann, H., 59
Bush, E. A., S11, S142
Bushnell, W. R., S11
Bustamante, M., S127
Butcher, C. J., S27
Butrón, A., S149
Buyer, J. S., S48, S69
Buzayan, J. M., S10
Byer, K., S9

Cacao
—black pod, fungicides for in Papua New Guinea, S2
—witches'-broom, mycoparasite and biocontrol, 1032
*Cacopsylla pyricola*, on pear, decline phytoplasma, California, 1218
Cadena Hinojosa, M. A., 688
Cadet, P., S69
Caesar-TonThat, T., S45
Café-Filho, A. C., S11, S30
Cai, G., S11
Caladium, tuber treatments, disease control, S150
Callow, J. A., 378
Callow, M. E., 378
Camacho, R., S117, S131
Camara, M. P. S., S83
Camargo, L. E., S118
Cameron, K. D., S11, S41
Camilli, K., S4
Campaña, A., S127
Campaña, M. A., S11
Campbell, H. L., 1284, S12
Campbell, R. N., 288
Campo-Arana, R., S119
Campos, Z. R., S12
Canales, H., S135
*Candida* spp.
—*C. oleophila*, biocontrol agent for *Penicillium digitatum* on grapefruit, 393
—*C. sake*, biocontrol for pear postharvest decay, 281
Candresse, T., 169, 563
Canola, white mold, phylogeography and genotype–symptom association, early and late infection, 785
Canteros, B. I., S116, S128
Cantoral, J. M., S82
Cao, Y., S33
Caolo-Tanski, J. M., S12
Capell, B., S68
*Capsicum annuum*

—*Amaranthus lividus* effect on, microherbicide application, S58
—bacterial spot: hypersensitivity and temperature, 197; non-hypersensitive responses, 173; resistance gene on leaf, cover photo, February
—root-knot nematode, resistance, S80
Carbone, I., 785
Carbonero, P., S114
Carbú, M., S82
Cárdenas, W., S116
Cardwell, K. F., 120
Carisse, O., 424, 769
Carkaci-Salli, N., S104
Carling, D. E., 43, 893
Carmona, E., S133
Carpenter-Boggs, L., S7
Carriquiry, A. L., S101, S102
Carris, L. M., S36, S61
Carroll, G. C., 464
Carroll, N. B., S112
Carrot
—blight, pathogen genetics, S55
—IPM status, baseline information in Wisconsin, S70
—white mold, fertilization effect, S78
Carter, E., S22, S85
Carter, L., S151
Carter, T. L., S38
Cartinhour, S., S102
Cartwright, R., S56, A1025
Caruso, F. L., S12
Caruso, F. V., S61
Carvajal, C., S134
Carvajal, O., S118, S130
Casassa-Padrón, A., S131
Castañera, P., S114
Castell, C., S12
Castellano, G., S117, S131
Castillo, M., S119, S127
Castillo, P. D., S43
Castro, A. C., S84
Catlett, N., S102
Catlin, N. J., S12
*Cauliflower mosaic virus*
—on *Arabidopsis*, resistance breakage, 190
—on *Arabidopsis thaliana*, resistance breakage, encoding portion, S46
—on cabbage, relation to *Beet western yellows virus* and *Turnip mosaic virus*, 816
Cavaletto, J. R., S30
Cavin, C., S142
Cazorla, F. M., 909
Celery, late blight, chemical control in California, S129
CENSA
—IACR-RES basis for collaboration, five-year study, S124
—international collaboration, S123
*Centaurea solstitialis*, rust, teliospore germination factors 355
Centeno, F., S117
*Ceratocystis* spp.
—*C. fagacearum*: on oak, transpiration reduction, S88; overland transmission, role of *Clonostachys rosea*, S59; sap beetle pheromones, overland transmission, S43
—*C. fimbriata*: host specialization, phylogenetics, S122; on trees, allozyme and DNA analysis, S40
*Cercospora* spp.
—*C. beticola*: cerosporin, bioassay, S45; on sugar beet, weather, Netherlands, S83
—*C. kikuchii*, vegetative compatibility groups, nitrate nonutilizing mutants, S11
—*C. zeae-maydis*: cercosporin biosynthesis, genes, S76; conidia, production and liberation, S44; on corn, interaction with corn borer, S5; on corn, temperature and relative humidity effect on sporulation, S64
Cereal
—bacterial pathogens, in Russian Federation, S52
—endophytic actinomycetes, harnessing, S27
Ceresini, P. C., S12, S86
*Cereus tetragonus*, *Glomerella cingulata*, resistance and abscission layer formation, 964
Ceri, H., S51
Cerkauskas, R. F., S13
Cervantes, L. A., S78
Chakraborty, N., S13
Chakraborty, S., 553, S2, S13
Chalutz, E., S9
Champaco, E. R., S32
Chandler, C. K., S55
Chang, C. J., S9, S13, S14
Chang, H.-S., S102
Chang, K. F., S85
Chang, T. H., S13
Changa, C. M., S13
Chaouch, R., S14
Chapela, I., S95
Chapman, S., S6
Charchar, M. J., d'A., 553
Charest, J., 769
Charkowski, A. O., S88
Charudattan, R., S9, S58
Chastagner, G. A., S14, S148
Chatchawankanphanich, O., 637
Chatterjee, A. K., S35, S102
Chatzivassiliou, E. K., 603
Chellemi, D. O., 1367
Chen, C., S15
Chen, H., 750, S80
Chen, J., S14
Chen, L.-F., 1315
Chen, S. Y., S48, S56
Chen, W. (California), S102
Chen, W. (Iowa), S6, S50
Chen, W. (Illinois), S140
Chen, W.-Q. (California, China), S14
Chen, X. M., S14, S41, S106
Chen, Z. (China), S110
Chen, Z.-Y. (Louisiana), 1084, S15
Chenault, K., S15
Chestnut
—blight: 10-year study, S94; pigment biosynthesis, S76
—blight hypovirulent strains, S94
—blight spatial patterns, hypovirus spread, S94
—breeding and hypovirulence, restoration, S94
—West Salem stand, demographic analysis, S94
Chew, F.-T., 654
Chinnasri, B., S15
Chiroleu, F., 336
Chitwood, D. J., S55
Cho, K. Y., S62
Choi, D., 1095
Choi, G. J., S62
Choi, J. K., 156
Choi, S. H., S46
Choi, W., S19
Chong, S. K., S152
Chou, C.-C., S87
Christ, B. J., S16, S67, S90, S147
Christopher, D., S76
Chrobak, M., S82
Chun, W., S66, S70
Chung, K. R., S15, S16
Church, G. T., S15
Churchill, A. C. L., S76
*Cicadulina*, geminivirus vector, distribution in insect, 65
Cicciarelli, R., S33
*Cicer arietinum*, Ascochyta blight, resistance inheritance, biometric analyses, 417
Cihacek, L. J., S78
Citrange, bud union disorder, graft transmissible agent, S51
Citrus
—bacterial canker, genes, S23
—bacterial diseases, systemic resistance, S31
—brown spot: ecology, S7; brown spot, phylogeography worldwide, 794
—canker: bacterial survival in lesions and inoculum dispersal, 336; copper effect, S116; detection with real-time PCR, S110; eradication of bacterium, S17; field diagnosis, S53; Florida epidemic, analysis, 361; public policy, S31
—greasy spot: $CaCO_3$, dolomite, urea effects, S57; fluorescence microscopy, S76
—viroid variance in Cuba, S134
—*Xylella fastidiosa*, quantification by PCR assay, 1048
*Citrus exocortis viroid*, other viroids, symptoms in citron, 542
*Citrus tristeza virus*
—component segregation, aphid transmission, S83
—on grapefruit, coat protein and resistance, S36
—hsp 70 protein homolog, biochemical characterization, S133
—isolate characterization in India, S71
—on Mexican lime: cell deterioration, S76; other virus similarities, S36
—molecular assays, in Hawaii, S151
—multiple origin of isolates in Florida, S36
*Citrus yellow mosaic virus*, promoter region, S37
Ciuffetti, L. M., S51, S52, A1025
Civerolo, E. L., S10, S81
*Cladosporium carpophilum*, on peach, moisture and conidial dispersal, S44
Clark, A. J., 446
Clarke, B. B., S146
Clarke, J. D., S102
*Clavibacter michiganense*
—on corn leaves, 1015
—detection and real-time PCR, S110
—on tomato, resistance loci, 504
*Claviceps africana*, on sorghum
—prediction model, in Mexico, S57
—weather pattern and prevalence in Texas, 659, *1026*
Clayton, K., S67
Clayton, M. K., S96
Clemente, T., A1024
Cleveland, T. E., 1084, S15
Cloud, G., S108
Clough, S., S53, S103, S106
Coakley, S. M., 667
Cobb, A. C., S105
Coble, H. D., S109, S112
*Cochliobolus sativus*
—on barley, cereal residue burning effect, S20
—chromosome length polymorphism, S91
Cocoa, Monilia pod rot, biocontrol with bacteria, S24
Coconut
—lethal yellowing: diagnosis in Cuba, S126; epidemic in Honduras and Central America, S127
—mollicutes, plant trypanosomatids, S119
—nematodes and bacterial diseases, resistance in Honduras, S119
—phytoplasma, in embryo tissue, S118
—tinangaja viroid, detection method, S136
Codina, J. C., 909
Coelho Netto, R. A., S60
Coffee, *Syngonium podophyllum* and *Spathodea campanulata*, in plantations, mycoherbicides, S124
Coffeen, W. C., S104
Cohen, B. A., 590
Cohen, L., 393
Cohen, S. D., S15, S112
Cohen, Y., 300
Colburn, G. C., S16
Colgrove, A. (Illinois), S88
Colgrove, A. L. (Missouri), S16

Coli, W. M., S108
Coll, Y., S119, S131
*Colletotrichum* spp.: biogenetic analysis, molecular characterization, S48; on pigeonpea pods, in Puerto Rico, S114; on strawberry, histopathology, 1055; on strawberry, population genetics and etiology, 1245
—*C. acutatum*: on almond, temperature and wetness duration, S19; on apple, polygalacturonase, S63; appressoria, digital image analysis, S20; on blueberry, fungicide sensitivity, S29; on blueberry, overwintering site, S18; on blueberry, spore release in Michigan, S86; on citrus, hormones in symptomatology, S15; on highbush cranberry, infection reservoir, S143; on lupin, genetics and morphology, 986; postbloom fruit drop caused by, fungicide for, S64; on strawberry, *C. gloeosporioides* comparison, yield reduction, S55; on strawberry, cultivar response, S117; on strawberry, plant extract effects, S45; on strawberry, protein-transgenic strains, 743; on strawberry, survival and dispersal, S87 fruit drop caused by, fungicide for, S64
—*C. coccodes*: on potato, vegetative compatibility groups, 827; on velvetleaf, biocontrol and assay detection, S142
—*C. fragariae*, on strawberry, cover photo, October
—*C. gloeosporioides*: on apple, *Glomerella cingulata* comparison, isolates, S30; on avocado, fruit protection mechanisms, enzyme mediated integration, 1196; biocontrol of Russian thistle, host range, S142; on lupin, field spread, tracer, 1110; on pepper, in Virginia, S142; on *Stylosanthes* spp., in Brazil, 553; on *Stylosanthes scabra*, infection and high $CO_2$, S13
—*C. graminicola*: on corn, infected leaf cells, cover photo, July; on corn, ultrastructure of infection, mutant pathogenicity, 803; on corn, ultrastructure of infection and colonization, S57; on turf, Qo inhibitors, S61
—*C. lindemuthianum*: on bean, cultivar reaction, S137; on bean, nontoxic protection technology, 378; on dry beans, race 73 in Canada, S18
Collins, A. A., S16
Collins, D. J., S9, S79
Collmer, A., S102
Companioni, B., S117, S133
Compost
—safety issues and human pathogen, S21
—stability on farm, S13
—tomato resistance induced by, 424
Coniophoraceae, wood decay fungi, phylogeny, S39
*Coniothyrium minitans*
—parasitic on sclerotia, S105
—Sclerotinia diseases controlled by, S105
Conn, K. L., 548
Connolly, M. S., A1025
Constantelos, C., S61
Contreras, N., S117
Conway, J., 105
Conway, M., S76
Conway, W. S., S46, S63, S67
Cook, D. W. M., 1293
Cook, G., S129
Cooke, L. R., S143
Cooksey, D. A., S36, S82
Coombs, J. T., S16, S27
Copes, W. E., S148
Cordell, M., S150
Cordero, M., S117
Cordova, I., S118
Corley, J. S., S80
Corn (see also Maize)
—anthracnose, ultrastructure of infection, mutant pathogenicity, 803
—antibiotics, aflatoxin, husk coverage, and chromosomes, S149
—Aspergillus ear rot and aflatoxin, inoculation method, S53
—bacterial colonization of leaves, 1015
—*Fusarium* in ears, growth simulation in artificial inoculation, 534
—rust, *Rp3* gene family, S141
—smut, 300 hosts in Mexico, S127
—stalk rot, leaf spot and corn borer interaction, S5
—stemborers and grain feeders on, endophytic *Fusarium* effect on infestation, 120
—Stewart's disease: flea beetle transmission, quantification, S55; knowledge of vector, 668; management of beetles and pathosystem, S24; risk, symposium, 668
—toxigenic fungi, host differences, S87
—viruses and phytoplasmids, distribution and control, in Cuba, S122
*Cornus* spp., anthracnose, population structure, 1276
—*C. florida*; powdery mildew: bicarbonate salt and household soap effect, 557; fungicides in Delaware, S144; protein analysis in cultivars, S4
Coronado, M. F., S134
Correll, J. C., 232, S30, S48
Corsten, M., S135
Cortes, C., S7, S123
Costa, J. C. B., 1032
Costanzo, S., S16
Cotterill, P. J., S101
Cotton
—aflatoxin in seed, in Texas, S39
—bacterial blight: near-isogenic lines for resistance, 1323; resistance screening, S72
—boll rot, mycoflora on in Alabama, S151
—damping-off, biocontrol with *Trichoderma*, 177
—plant growth-promoting rhizobacteria, on transplants, S149
—*Pythium*, *Thielaviopsis*, and *Rhizoctonia* isolation, time of planting effect, S30
—seedling disease, crop, tillage, and fungicide effect, S151; fungicides in Georgia, S150
*Cotton leaf crumple virus*, new phylogenetic group, S9
Cotty, P. J., S39
Couch, B. C., S16
Cover photo
—*Capsicum annuum*, *Xanthomonis axonopodis*, resistance gene *Bs2*, February
—*Colletotrichum fragariae*, on strawberry, October
—*Colletotrichum graminicola*, on maize cells, mutant strain, July
—*Guignardia mangiferae*, conidia, May
—Maize fine streak virus, on sweet corn, November
—*Mirafiori lettuce virus*, *Lettuce big-vein virus* comparison, March
—*Peronospora tabacina*, on tobacco roots, sporulation, April
—*Phytophthora capsici*, on cucumber, June
—pineapple, mealybug wilt, symptoms, September
—*Puccinia tritici-repentis*, race 1 on wheat, January
—*Trichosporon pullulans*, on *Botrytis cinerea* sporulation, December
—*Turnip mosaic virus*, on cabbage, August
Cowger, C., 617, 624, 1175, S96
*Cowpea chlorotic mottle virus*, methyltransferase domain, accumulation in plants, S131
Cox, C. M., S137
Cox-Foster, D., S47
Coy, A. E., S33, S87
Craddock, J. H., S94
Cram, M. M., S26
Cramer, R. A., S17, S45
Cranberry
—fairy ring: cause, S61; detection by remote sensing, S62
—Phytophthora root rot, distribution in New Jersey, S145
Crane, B. R., S11
Creamer, R., 1167, S70
Creswell, T., S1, *A1026*
*Criconemella ornata*, populations and sand particle size, S84
*Crinipellis perniciosa*, on cacao, mycoparasite of cacao, 1032
Crisosto, C. H., S62
*Cronartium* spp.
—*C. quercuum*, axenic growth, carbohydrates, S20
—*C. ribicola*: on *Ribes nigrum*, resistance gene *Cr*, S65; variation and gene flow, S95; on white pine, genetic specificity in pathosystem, 278
Crop protection, nontoxic technology, zosteric acid use, 378
Crow, W. T., S107
Crowley, D., 857
*Crupina vulgaris*, *Ramularia crupinae* for control, S143
Cruz, M., S117
Cruz-Jiménez, A., S132
*Cryphonectria parasitica*
—hypovirus deployment, canker treatment, S94
—reproductive biology, S94
Csinos, A. S., S17, S50, S74, S150, S152
Cuadrado, A., S114
Cuasquer, J., S50
Cuba, M., S121
Cubero, J. (Florida), S17
Cubero, J. I. (Spain), 1262
Cubeta, M. A., 1189, S112
Cucumber
—damping-off, biocontrol, S48
—gray mold, inhibition by galactosyl diacylglycerol, S62
—Messenger as growth enhancement, S67
—nematode management, 1,3-D and oxamyl, S17
—Phytophthora crown rot and blight, resistance induced by *Trichoderma*, S41
*Cucumber mosaic virus*
—on cucurbits, synergy with potyvirus, 51
—resistance, germ plasm screening, S29
—on zucchini squash, cross-protection, S89
Cucurbit
—Fusarium wilt, biocontrol with *Fusarium*, 164
—gummy stem blight, phylogenetic analysis of *Didymella bryoniae*, 997
—powdery mildew: ascomata survival, S146; fungicides and resistance, S144
—*Zucchini green mottle mosaic virus*, genome structure and production, 156
*Cucurbit leaf curl virus* reassortant with related viruses, on cucurbits, 734
Cueto, J. R., S115, S126
Cui, Y., S35
Culbreath, A. K., S50, S51, S149, S151
Cummings Carlson, J. E., S94
Cuppels, D. A., 1284, S1
Curley, J., S13, S17
Curry, K. J., 1055, S153
Curtis, M. J., S104
*Cuscuta japonica*, invasion in Texas, S4
*Cylindrocarpon* spp., on beech bark, killing front, Michigan, S1
—*C. destructans*, DNA, extraction from soil, S68
*Cymbidium mosaic virus* on orchid, detection using DNA biosensors, 654
Czosnek, H., S54, S96, S116, S127
Czymmek, K., S103

*Dactylella pseudoclavata*, nematode-trapping fungus, new from China, S56
da Graça, B. M., S36
da Graça, J. V., S36
Dahir, S. E., S94
*Dalbulus maidis*, corn stunt spiroplasma vector, S96
Daleo, G. R., S33
Damann, K. E., 1084, S15
Damicone, J. P., S91, S149
Damsteegt, V. D., S29, S75
Danyluk, G., S46
D'Arcy, C. J., S22
da Rocha, A. B., S4, S22
Datnoff, L. E., S118, S148
Datta, S., S13
Daub, M. E., S80, S83
Dauch, A. L., S142
Daughtrey, M., S146
Daus, A., 393
Davelos, A. L., S17, S94
David, P. J., S54, S55
Davidson, J. M., S17
Davidson, L. E., S17
Davies, E., S62
Davis, A. L., S67, S70
Davis, E. L., S20, S27, S37, S85
Davis, J. M., S23
Davis, M. J., S18
Davis, R. E., S91
Davis, R. F., S17, S152
Davis, R. M., S42, S55, S70, S75
Davis, T. A., S150
Dayan, F. E., S85
Deahl, K. L., S143
Dean, R. A., 997
Dean, R. A., S19, S80
Dearborn, D., S93
de Boer, S. H., S25, S46
De Cal, A., 863
de Capdeville, G., 900
Decision theory, plant pathology applications, S101
Decker, J., S18
Deckert, G., 232
Defago, G., S49, S68, S69
de Jensen, C. E., S24, S43
de Jong, S. N., S46
Deka, D., 1260
de la Fuente, L., S3
Delaney, T. P., S102
de la Torre, C., S114
Delgado, N. J., S18
Dell, K. J., S36, S37
Della Vedova, G., S82
del Loreto Rey, M., S122
de los Ángeles González, M., S121
del Rio, L. E., S18, S137, S139
DeMarsay, A., S18, S143
Dendy, S. P., S18
Deng, F., S19
Deng, J., S19
Denny, T. P., S19, S48
Deom, C. M., 729, S4, S58, S131
Derie, M. L., S21
Dery, P. D., S48, S69
de Sá, P. B., 446
Desfeux, C., S53
Desjardins, A. E., S19, S67, S93
Deslandes, L., 1142
DeValerio, J., S58
de Vallavieille-Pope, C., 1308
de Vicente, A., 909
Dewdney, M. (Canada), 769
Dewdney, M. M. (New York), S19
de Weerdt, M., v
de Werd, H. A. E., 129
DeWolf, E. D., 232, S21
Diagnosis
—laboratory certification, Agdia, S111
—plant pathogen in Cuba, S130
Diagnostic laboratory, accreditation, ISO 17025, S111
Diagnostic technique, immunocapture RT-PCR and ELISA, S34
*Diaporthe helianthi*, on sunflower, molecular variability, 308
Díaz, I., S114
Díaz, J. A., 842
Díaz, M., S118, S123, S124, S128, S130
Diaz, N., S103
Díaz Gil, M. E., S130
Díaz-Mínguez, J. M., 237
Diaz-Perez, J. C., S149
*Dibotryon morbosum*, on *Prunus* spp., internal transcribed spacers, S15
Dicklow, M. B., S147
Dickman, J. S., S86
Dickman, M. B., S104
Dickson, D. W., S107
*Didymella* spp.
—*D. bryoniae*: bioecology, S130; on cucurbits, phylogenetic analysis, 997
—*D. rabiei*, on chickpea, resistance inheritance, biometric analyses, 417
Dieguez-Uribeondo, J., S19, S20
Diggle, A. J., 321, 1110
DiLeone, J. A., S74
Dillard, H. R., S105
Dill-Macky, R., S20, S24, S93
Dillwith, J. W., S88, S153
Diner, A. M., S20
Dinoor, A., 976
*Discula destructiva*, on dogwood
—isolate characterization, S7
—population structure, 1276
Disease forecasting, Bayesian approach, S100
Disease management, inoculum dispersal, raindrop kinetic energy, 497
Disease quantification, image analysis software, S113
Disease survey, eggplant, pepper, and tomato, in Guam, S73
Dixon, P. M., S6
Djilani, F., S30
Dobinson, K., S68, S103
Dodds, J. A., S83
Dogwood (see *Cornus florida*), powdery mildew
Dolezal, W. E., S111
Dolja, V. V., S104
Dollet, M., S119
Domier, L. L., S34
Domínguez Valenzuela, J. A., S120
Dong, S., S102
Dongyi, H., S41
Donohue, C. M., S7
Dopkins, D. M., S34
Dorrance, A. E., S10, S11, S20, S39
Doster, M. A., S20
Double, M. L., S94
Douches, D. S., S66
Douhan, G. W., 703
Doxtader, D. C., S138
Doyle, M. M., S116, S119, S127
Driskel, B. A., 347
Droby, S., 393, S9
Drouillard, D. L., S31
Du, P. V., S110
Du, W., S20
Duan, C.-H., S21
Duan, Y. P., S21
Ducamp, F., S3
Dufault, N. S., S21
Duffie, L. E., S21
Duffy, B., S21, S49, S98, S99
Dufresne, M., S103
Dugan, F. M., S21
Dumenyo, C. K., S36
Dungan, R., 1344
Duniway, J. M., 1337, S34
Dunker, B., S139
Dunkle, L. D., S44, S76
Dunn, R. A., S107
Dunning, F. M., S65
Dupper, G. E., 278
Duran-Vila, N., S134
du Toit, L. J., S21
Duttle, A. E., S22, S53, S77
Duveiller, E., S109
Duxbury, J. M., S62
Dwyer, P. J., S22
Dyer, A. T., S9, S22
Dyer, P. S., 703
Dyer, R., S93
*Dysmicoccus* spp., pineapple mealybug transmitted by, 928
Dzengeleski, S. I., S22

Eastburn, D. M., S22, S61
Eastwell, K. C., 87, S44, S52
Ebbole, D. J., 917, S7
Eberl, L., S98
Echávez-Badel, R., S114, S119
Echemendía, A. L., S119
Eckhardt, L., S22
Edmonds, J., S53, S61
Edmunds, B. A., S22
Edwards, H. H., S23
Effertz, R. J., 527
Egel, D. S., S34
Ehrenshaft, M., S83
Eibl, J. M., S64
Eicken, K., S4
Eizenga, G. C., A1025
El-Abbas, F. A., S75
Elad, Y., 976
El-Allaf, S. M., S23
El-Amrety, A. A., S23
El-Arab, H. G. D., S19
El-Deeb, S., S75
Elfving, D. C., 1363
El-Hammady, M., S75
El Khalily, M. I., S23
Elleuch, A., S30
Ellis, M. A., S23
Elm, yellows, phytoplasma group, Illinois, S39
Elmer, W. H., S98, S145
Elphinstone, J. G., S110
El-Refari, M. I., S23
El Yacoubi, B., S23
Englander, L., S81
Engle, J. S., S23
English, J., S49
Ens, W., S74
*Enterobacter cloacae*, on cucumber, biocontrol of damping-off, S69
*Epicoccosorus nematosporus*, mycoherbicide on *Eleocharis kurogwai*, in rice field, S37
Epidemiology, non-parametric tests, S101
Erincik, O., S23
Errata
—vol. 92, no. 3, 2002, *1253*
—vol. 92, no. 6, 2002 (suppl. S1; Abad et al), *1026*
—vol. 92, no. 6, 2002, *1026*
—vol. 92, no. 6, 2002, (suppl.), *1024*, *1025*
*Erwinia* spp.: on mango, chemical control, S131; on watermelon, new in Illinois, S5
—*E. amylovora*: on apple and pear, biocontrol with *Pantoea agglomerans*, 1202; pathogenicity/avirulence gene, nuclear localization signal, S42; pathogenicity island, left end characterization, S85; on pear, genetics and biosynthesis, S28; on pear, strain differentiation, S40; on pome fruits, antibiotic and resistance management, S78; regulation by *gacA*,

extracellular polysaccharides, S35; secreted proteins of, weaponry, S59; on tobacco, hypersensitive response, harpin role, S60
—*E. carotovora*, on potato, genomic diversity, S88
—*E. herbicola*, leaf surface interaction, S96
—*E. stewartii*, on corn seed, seed treatment and seed health test, S56
*Erysiphe cichoracearum*, on *Cucurbita moschata*, chemical control, S114
*Escherchia coli*
—farm cycle, irrigation and fertilization, S100
—growth on plants, human health risk, S21
Eskalen, A., S24, S32
Eskandari, F., 355, S143
Esker, P. D., 668, S24
Eskridge, K. M., S3
Eslava, A. P, 237
Esparza-Mantilla, M. R., S119
Espino, A., S132
Espinosa, P., S120
Espinosa-Urgel, M., S98
Essenberg, M., 1323
Estes, B., S102
Estévez, A., S117
Estrada, G., S120
Estrada Vilardell, G., S126
*Eucalyptus*, leaf disease survey, in Venezuela, S128
Eun, A. J.-C., 654
*Eutypa lata*, on grape, biopesticide, S89
Evans, C. K., S24
Evans, T. A., S74
Everts, K. L., S91
Extension, core competency training in Kansas, S111

*Faba bean necrotic yellows virus* resistance and cultural practice, S69
*Fagus grandifolia* bark epidemic, Michigan, S1
Fakhfakh, H., 563
Fakhfakh, H., S30
Falconi, C. E., S24
Fargo, D. C., S16, S24
Faria, J. C., S127
Farman, M. L., 245, *1253*, 1227, 1236
Farnham, M. W., 997
Faro, C., S33
Farrar, J. J., S70
Faure, B., S133
Fazzolari, T., S5
Feau, N., S25
Feichtinger, G., S49
Fekih-Hassen, I., S30
Feldstein, P. A., S10
Feliciano, A. J., S32
Felts, D. G., S60
Feng, D. X., 1142
Feng, Q., A1025
Fengler, K., S103
Fenn, P., S150
Fenton, J. G., S3
Ferguson, L. M., S1, S25
Fermin, G., S120
Fernandes, C. D., 553
Fernández, A., S126
Fernández, E., S120
Fernandez, G. E., S1, S25
Fernández, J., S122
Fernández, N., S117
Fernández-Acero, F. J., S82
Fernandez-Pavia, S. P., S25
Fernando, W. G. D., S15, S40, S90
Ferrandino, F., 361
Ferro, C. R., S36
Ferro, J. A., S12
Ferwerda-Licha, M., S25
Fery, R. L., S80
Fessehaie, A., S25
Ficke, A., 671
Fig, fungal fruit decay, buried drip irrigation, S20
Filion, M., S143
Filippi, C., S7
Fioritto, R. J., S10
Fir, root disease, Pacific Northwest, S14
Fischer, E., 976
Fist, A. J., S101
Fitopatologia, history for 35 years, S121
Fitzmaurice, W., S104
Fjellstrom, R., A1024
Flaherty, J. E., S8, S25, S37
Fleer, J. M., S26
Fletcher, J., S90
Fletcher, W., S89
Flores G., H., S120
Flowers, J. L., S26
Fogg, M. L., S40, S143, S144
Fonseca, A., S121
Fonseca, D., S121, S126, S132, S136
Fonseca, Y., S117, S131
Font, C., S121
Food Quality Protection Act, consumer effect, S112
Foreman, G. L., S26, S138
Forest
—clearing and fire exclusion, microbe effect, S95
—ecosystems, population structure, S95
—exotic pathogens, ecosystem prediction, S15
—microbes, environment, and host variation, S95
Förster, H., S2, S19, S20, S26
Forster, R. L., S9
Fortnum, B. A., S61
Foster, A., S103
Fouly, H. M., S26
Foundling, J., S135
Fraedrich, S. W., S26
Franchino, B., 504
Francis, D. M., 504, S10
Francl, L. J., 38, 527, S3, S101
Franco, C. M. M., S16, S27
*Frankiniella fusca*, on peanut, feeding preference, S51
Franklin, L., S13
*Frankliniella* spp.
—*F. fusca*: on tobacco, *Pantoea ananatis* association, S149; *Tomato spotted wilt virus* vector, replication in alimentary canal, 729
—*F. occidentalis*: *Tomato spotted wilt virus* replication in, S4; *Tomato spotted wilt virus* vector, replication in alimentary canal, 729
Franquinho Aguiar, A. M., S132
Frapolli, M., S68
Fraser, K., S62
Fravel, D. R., 1160
Frederick, R. D., 217, S66, S75
Freeman, S., 164, 743
Freeman, T., 694
French, E. R., S121
French, R., S104
French-Monar, R. D., S27
Frías-Treviño, G. A., S123
Friedmann, M., S127
Friel, C. J., S27
Friesen, T. L., 38
Froissart, R., 576
Fry, J. D., S38, S75, S138
Fry, W. E., 688, S32, S77, S145
Fuentes, A., S119
Fujii, T. M., S27
Fujimura, M., 75
Fujishige, N. A., S27
Fukui, R., S27
Fulbright, D. W., S94
Fumigation, methyl bromide, in-line injected materials as alternative, S152
Fungicides, general (see also Fungicides, specific)
—apple sooty blotch and flyspeck complex, sensitivity, S6
—cacao black pod, in Papua New Guinea, S2
—$EC_{50}$ values, spiral gradient dilution method, S26
—horseradish root discoloration, S5
—IR-4, registration update, S80
—ornamental species, rooting effect, S76
—quinones, antifungal activity, naturally occurring, S85
—tree fruit crops, alternate row-spraying potential, S2
—triazole, *Ceratocystis fimbriata* and *Botryosphaeria rhodina* sensitivity, S87
—Tween 20 and cutinase, synergistic mixture, fungi inhibited by, S63
Fungicides, specific (see also Fungicides, general)
—acibenzolar-s-methyl, bacterial diseases, S108
—ammonium molybdate, pear postharvest decay control, 281
—azoxystrobin, gummy stem blight resistance, Georgia, S79
—BAS 516 F, broad-spectrum, fruits, vegetables, and trees, S89
—copper sulfate, mango resistance, *Pseudomonas syringae*, 909
—dicarboximide, *Botrytis cinerea* resistant to, 75
—Gavel and Zoxium, vegetable oomycete diseases, S77
—nicobifen: characteristics and distribution properties, S79; field crop, vegetable, turfgrass control, S6; new fungicide family, S4; use in specialty crops, S4
—thiabendazole, *Fusarium sambucinum* resistant to, on potato, 917
—trifloxystrobin, on citrus, S152
Funnell, D. L., S27
Fuqua, C., S97
*Fusarium* spp.: on corn ears, growth simulation, mathematical, 534; fumonisin and trichothecene, PCR detection, S8; on horseradish, fungicides and biocontrol agents, S5; isolates from crop plants and seeds, S115; on *Orobanche aegyptiaca*, transformation and enhancement virulence, 590; species and crop hosts in Cuba, S126; on tomato, biocontrol and environment, 1160; *Trichoderma* spp. for control, genetics and detection with RAPD, S118; on wheat, deoxynivalenol effect, chitinase genes in *Trichoderma*, S49; on wheat, head blight and crown rot in Australia, S2; on wheat and barley, scab, puroindoline proteins, S28
—*F. avenaceum*, on lisianthus, phylogenetic analysis, S145
—*F. graminearum*: mycotoxin, secondary metabolite, S7; on spring grains, fungicides for, S139; on wheat, cereal residue burning effect, S20; on wheat, REMI mutagenesis, S81; on wheat, resistance and inoculation methods, S23; on wheat, virulence genes, S31; on wheat, in eastern China, population analysis, 1315
—*F. moniliforme*, on smooth cordgrass, black leaf spot, S69
—*F. oxysporum*: on banana and plantain, vegetative compatibility groups, S115; on banana, Falso Mal de Panama, preliminary study in Canary Islands, S123; on banana, phytotoxic effect, S117; on bean, detection in plants, DNA-based procedure, 237; biocontrol mechanisms, transposition of *Fot1* element, 936; on *Cicer arietinum*, molecular characterization in Mexico, S130; on cotton, California and Australia isolates, S42; on cucurbits, nonpathogenic mutants for control, 164; mortality, heat treatment effect, 956; necrosis-inducing extracellular protein, gene replacement, transformation, 833; Panama disease in plantations, in Canary Island, S134; on tomato, biocontrol, inoculum evaluation, 863; on tomato, compost-mediated induced resistance, 424

—*F. sambucinum*: on potato, salt treatment, S22; thiabendazole resistance, synthetic peptides, 917
—*F. solani*: on dry bean, crop sequence and root-rot severity, S43; on soybean, hairy root response, S47; on soybean, modified oscillation medium, S149; on soybean, molecular variability, S47; substrate utilization patterns in *F.* sp., S71
—*F. verticillioides*: on corn, endophytic effect on stemborers and grain feeders 120; on corn, seedling pathogenicity factor, S29
Fyffe, A. E., S79

Gaba, V., 51
Gabriel, D. W., S3, S23, S53, S83
Gadoury, D. M., 671, 1068, S41
*Gaeumannomyces graminis*
—on bentgrass, assay, S80
—phylogeny, sequence insertions, S26
—on wheat, inhibition by *Brassica* mulch, S9
Gago, S., S132
Galbraith, D., S106
Gale, L. R., 1315
Gallegos, P., S39
Gal-On, A., 51
Gamba Fuica, F., S121
Gan, J., 1344
Gannaway, J. R., S72
Gao, B., S27, S37
Garay-Serrano, E., S25
Garbelotto, M., S17, S95
García Herdugo, G., S117
García, A., S127
García, D., S117
García, L., S122
Garcia, P., S121
Garcia-Pedrajas, M. D., S27
García-Sánchez, M. A., 237
Gardner, D. R., S70
Garger, S., S104
Garrett, K. A., 1152, S18, S58, S109
Garrido, M. J., S129
Garrison, S. A., S144
Garzon, C. D., S28
Gaska, J., S45, S46
Gassmann, W., 456, S90
Gatch, R., S35
Gatineau, F., 384
Gaush, P., 721, S72, S110
Gbur, Jr., E. B., S71
Geider, K., S28, S40
Geiser, D. M., 232, S28, S144, S145
Gelernter, W. D., S52
Geminiviruses, on bean, PCR and DNA hybridization methods for detection, S131
Genes, human vs. plant pathogens, number, S103
Genger, R. K., S28
Genomics, comparison in fungal plant pathogens, S102
Genowati, I., S143
Geranium, phyllosphere, biofilm of biocontrol agent, S74
Gerber, J. F., S28
Gergerich, R. C., 646, S28
Gerhardt, S. A., 210, S28
German, T. L., S86
German-Retana, S., 169
Ghabrial, S. A., 446, S32
Ghanim, M., S96, S116
Ghiasvand Ghiasi, K., 59
Gianessi, L. P., S112
*Gibberella*
—*G. circinata*, on pine, mating population, S27
—*G. moniliformis*, fumonisin biosynthetic genes, S67
—*G. zeae*: ascospore discharge, mechanism, S43; biological diversity, toxins, Nepal, S19; perithecia, weather variables, S21; sexual reproduction, molecular determinants, S93; spore dispersal and regional epidemiology, S93
Gibson, D. M., S76, S84
Gidekel, M., S121
Gielser, L. G., S29, S141
Gigliotti, E. A., S118, S130
Gilbert, G., S95
Gilbertson, R. L., 487, S55, S75, S78
Gilchrist, D. G., S104, A1025
Gildow, F. E., S29, S47
Gillaspie, Jr., A. G., S29
Gillett, J. M., S29
Ginzburg, C., 956
Gitaitis, R. D., 893, S84, S149
Glazebrook, J., S102
Gleason, M. L., S6, S22, S29, S45, S87
Glenn, A. E., S29
Glenn, D. L., S30
Glienke de Blanco, C., 464
*Gliricidia sepium*, disease of, new in Honduras, S127
*Gloeophyllum trabeum*, quinone reduction system, S145
*Glomerella cingulata*, on apple cactus, resistance response and abscission layer, 964
*Glycine wightii*, control in citrus orchards, S120
Goates, B. J., S30
Goheen, E. M., S30, S54
Gold, S. E., 785, S27
Goldhamer, D. A., S20
Goldman, G. H., 1048
Goldschmidt, E. E., 393
Golino, D. A., S3, S71
Gomaa, N. G., S30
Gomez, L., S30
Gomez, O., S126
Gómez Kosky, R., S125
Gonsalves, C. V., S122
Gonsalves, D., S120, S122
González, A., S119, S131
González, C. (Venezuela), S131
Gonzalez, C. F. (Texas), 917
González, D., S115
González, E., S30, S123
González, G., S117, S119, S123
González, J. L., S134
González, L., S122
González, M. E., S122
González, M. S., S128, S135
González, V., S126
González, Y., S121, S123
González Guardiola, Y., S126
González Ochoa, F., S129
González Ramos, E. M., S132
Goodwin, P., S2
Goodwin, S. B., S2, S30, S68, S81
Gordon, D. T., 1167
Gordon, T. R., S27
Gorsane, F., S30
Goswami, R. S., S31
Gottwald, T. R., 361, S31
Götz, N., S4
Gouin, C. T., S49
Gounou, S., 120
Gourbière, F., S69
Graef, G., S29
Graham, J. H., 361, S16, S17, S31
Graham, M. Y., S31
Graham, P. H., S24
Graham, T. L., S23, S31, S45
*Graminella nigrifrons*, *Maize fine streak virus* vector, 1167
Granatstein, D. M., 1363
Granier, M., 65
Grant, J. A., S10
Grape
—berry rot, fungicides and rot severity, resveratol, S77
—black rot: berry age and incubation period factor, 1068; epidemiology and management, symposium, 676
—*Botrytis*, early infection, S91
—closterovirus, characterization, S71
—oil application and photosynthesis, factors, S142
—Phomopsis cane and leaf spot, disease predictive model, S23
—Pierce's disease: distribution in North Carolina, S35; pattern in California, S81; PCR for on-site diagnosis, 721
—powdery mildew: ontogenic resistane and disease management, symposium, 671; quinoxyfen for control, in USA and Europe, S58
—replant disorder, specificity, S10
—viruses, survey in Oregon and Washington, S52
Grapefruit, *Penicillium digitataum* resistance induced by yeast, 393
*Grapevine leafroll associated virus*, molecular detection, S3
Grau, C. R., S31, S42, S43, S44, S45, S46, S50, S67, S78, S137, S138, S139, S140
Graves, W. R., S54
Gray, S. M., 970
Green, E. A., S58
Green, T. A., S109
Greene, S. E., S31
Greer, N. W., S149
Gregory, N. F., S144, S151
Gregos, G., S72
Gregos, J., S13
Gressel, J., 590
Greve, L. C., S70
Griffiths, H. M., S39, A1024
Grimme, E., S31
Grisham, M. P., S32
Gritsenko, M. A., 265
Grondin, M., 65
Groom, T., S65
Gross, D. C., S49
Gross, P. L., S18, S137, S139
Groth, J. V., 755, S6
Grove, G. G., 1210, S21
Groves, C. L., S32
Groves, C. T., 1189
Grube, R. C., S32
Gruber, M., S47
Grünwald, N. J., 688, S25, S32
Grybauskas, A. P., S5
Gu, H., 446, S32
Gu, Y.-H., 1363, 1301, S53
Guan, J., S32, S58, S138, S140
Guanipa, N., S117, S131
Gubler, W. D., S24, S32, S36, S37, S100
Gudmestad, N. C., S137
Guenzi, A. C., S140, S141
Guerber, J. C., S48
Guetsky, R., 976
Guevara, M. G., S33
*Guignardia* spp.
—*G. citricarpa*, endophyte on woody plants, 464
—*G. mangiferae*, conidia, cover photo, May
Guilleroux, M., S103
*Guinardia bidwellii*, on grape, berry age and incubation period, 1068
Guixiu, H., S41
Gulya, T. J., 694
Gunawardena, U., S102
Gundersen-Rindal, D. E., 1038
Gundersheim, N. A., S35
Guo, B. Z., S33, S149
Gutiérrez, A., S121
Gutiérrez, C., S121
Guzman, P., 487
Gwinn, K. D., S31

Haber, S., S74
Hacker, J. K., S72

Hadidi, A., S75
Hagan, A. K., S12, S33
Halgren, A. B., S82
Hall, J. A., 1323
Hall, T. W., S33
Halverson, L. J., S97
Ham, J. H., S33, S67
Hamada, W., S102
Hameed, K. M., S34
Hamel, C., S143
Hamelin, R. C., S25, S95
Hamer, J. E., S42
Hamer, J. L., S148
Hames, A., S135
Hamilton, S. L., S31
Hammer, W., S21
Hammerschmidt, R., S4, S22, S66
Hammond, R. W., S59, S105
Hammond, T. M., S33
Han, S. S., S46
Handoo, Z. A., S26
Haney, C. H., S77
Hanke, W., S4, S79
Hanna, J. W., S95
Hanna, L., S71
Hanna, W. W., S87
Hansen, E. M., 112, S17, S30, S33, S47, S54, S63, S95
Hansen, J. M., S78
Hanson, L. E., S12, S33
Hanson, P. M., S109
Hanson, S. F., S33
Hao, J. J., S34
Hapiak, M., S46
Harakava, R., S83
Harb, A. M., S34
Harbaugh, B. K., S145
Harikrishnan, R., S34
Harmon, P. F., S34
Harness, A. M., S34
Harreus, A., S4
Harrington, T. C., S6, S40, S122
Harrison, B., S34
Harrison, H. F., S150
Harrison, K., S65
Harrison, N. A., S118, S119
Harrison, S. A., S69
Harrison, U. J., S35
Hart, A., S77
Hartman, G., S36, S47, S139
Hartman, J. R., S26
Hartung, J. S., S14, S37, S49
Harveson, R. M., S8, S35
Hasegawa, H., S35
Hashim, J. M., S81
Hashimoto, C., 75
Hashmi, R. Y., S149
Hataya, T., 542
Haudenshield, J. S., S35
Hausbeck, M. K., 681, S112, S139
Hawes, M., S18
Hay, F. S., S35, S65, S101
Haynes, K. G., S16, S90, S147
Hazanovsky, M., 827
He, C. Y., S35
He, M. X., S56
He, S. Y., S92
Hebbar, P. K., 1032, S2, S72
Heckman, J., S146
Hegedus, D., S47
Heidel, G., S79
Heidenreich, M. C., S33
Heinz, R. D., 456, S59
Heist, E. P., 400, S35
*Helicotylenchus* spp., on bermudagrass, cultivars, S152
Helland, S. J., S29
Henny, R. J., S60
Henríquez, M. A., 580, S50
Her, R. J., S61
Hernández, A., S122, S131, S136
Hernández, C., S131
Hernández, J. M., S123, S134
Hernández, K., S117
Hernández, L., S120
Hernández, M. R., S115, S134
Hernández, R., S114, S123
Hernández, S., S123
Hernández Díaz, C., S119
Hernández-Hernández, M. R., S123
Hernandez-Martinez, R., S36
Hernick, C. A., 1315
Herrera Isla, L., S124
Herrera, A., S128
Herron, C. M., S36
Hert, A. P., S36
Hess, N., S22, S85
*Heterobasidion annosum*, on Christmas tree, mortality in Pacific Northwest, S14
*Heterodera glycines*
—cDNA library, amplified RNA approach, S85
—hatching signal, pH, 456
—putative parasitism genes, in esophageal glands, S27
—on soybean: AFLP markers and virulence, S16; *Fusarium solani* population level, near-isogenic lines, S38; isolate variation, S88; polymorphism, mutant inbred line reactions, S7
*Heterodera schachtii*, soil suppressiveness, detection by *fingerprinting*, S89
Hewlett, T. E., S21, S28
Hibiscus, tobamovirus, characterization, A1024
Hickey, W., S68
Hidalgo, E. I., S115, S128, S129
Hientze, C. A., S4
Higgins, R., S8
Hilf, M. E., S36
Hill, A. L., S12
Hill, C. B., S36
Hill, J. H., 478, S140
Hill, J. P., S12
Hill, W., S146
Hinsa, S., S98
Hinton, D. M., A1024
Hippolyte, I., 65
Hirano, S. S., S96
Hiromoto, B., S70
Hirsch, A. M., S27
Hirsch, J, 1142
*Hirsutella rhossiliensis*, nematode parasitized by, pH effect, S48
Ho, H. H., S89
Hodge, K. T., S77
Hoefnagels, M. H., S138
Hoff, J. A., S36
Hoffman, L. E., 676, 1068, S36, S37
Hogenhout, S. A., 1167, S5, S14, S90, S96
Hogg, D. B., S137
Hoitink, H. A. J., S13, S41
Hokanson, S., S49
Holbrook, C. C., S33
Hollingsworth, C. S., S108
Holmes, G. J., S37, S112, S124
Honda, Y., S38
Hong, C., 610, S11, S142, S143
Hong, Y. K., S37, S45
*Hop stunt viroid*, on citron, with other viroids, 542
Hopkins, A., S148
Hopkins, D. L., S86
*Hoplolaimus galecatus*, on bentgrass, cultural practice relation, S75
Horken, K. M., S104
Horn, B. W., S1
Horning, J. L., S138
Horowitz, S., 743
Horseradish, root discoloration, fungicides and biocontrol agents, S5
Horten, T. B., S74
Horvath, B. J., S37
Hosta, crown rot, mulch type and placement, S22
Hou, H. S., S67
Hou, Z., S81
Houghton, W., 1167
Howard, R. J., S85
Howell, C. R., 177
Hu, J. S., 928, S76, S151
Hu, S., S19
Huang, G., S37
Huang, J.-H., S48
Huang, J.-S., S87
Huang, L., 654
Huang, Q., S37
Huang, Y., S21
Huber, D. M., S80, S98
Huber, L., 1308
Hudak, J., S14
Hudelson, B. D., S26
Hudler, G. W., A1024
Hughes, G., S100, S101
Hughes, M. G., S62
Huh, G.-H., S37
Huitema, E., S102
Hulbert, S., S141
Human health
—foodborne pathogens on produce, S99
—pathogens on plant-derived foods, S99
Human pathogens, foodborne, chemical control, S99
Hummel, R. L., S148
Hummer, K. E., S65
*Humulus lupulus*, disease surveys in Argentina, S65
Hunger, R. M., 347, S38
Hunt, T. (Nebraska), S29
Hunt, T. D. (Alabama), S74
Hunter, D., S2
Hunter, P. J., 816
Hussey, R. S., S20, S27, S37, S85
Hwang, S. F., S85
Hypersensitivity
—pepper to bacterial spot pathogen, 273
—*Xanthomonas axonopodis* on pepper, temperature effect, 197
Hypervirulence, transgenically enhanced expression, indole-3-acetic acid, 590
Hypovirulence, *Sclerotinia sclerotiorum* and *S. minor*, dsRNA transmission, 780

Ibañez, A., 794
Ibn-I-Hassan, O., S124
Ichiishi, A., 75
Identification, plant pests, interpretation, S100
Idris, A. M., 734, S9, S38, S116
Ieki, H., 542
Igarza, Y., S123
Iglesias, A., S118, S120, S124, S130
Ignatov, A. N., S52
Igwegbe, E. C. K., S9
Ikeda, S. S., 780
*Impatiens necrotic spot virus*, on peanut and sunflower, susceptibility, S50
Ingham, R. E., S77
Inglis, D. A., S63
Insects, lepidopterous stemborers and coleopteran grain feeders, on corn, *Fusarium* effect, 120
Integrated pest management
—consumer communication, S108
—eco-labeling, S109
—labeling, federal perspective, S109
—Massachusetts certification, S108
—retailer marketing, S109
Internet (see also website), fungal pathogen database, model, letter to editor, 232
Iriarte, F. B., S38, S138

Irrigation, *Phytophthora* spp. in water, pear fruit infection, 1210
Isaka, M., 542
Isakeit, T., 694, S57
Isgrigg J., III, S38
Ishihara, H., S65
Islam, S. Z., S5, S38
ISO certification, accredited labs, S111
Ito, T., 542
Iwanami, T., 542

Jabaji-Hare, S. H., S142, S143, S144
Jackson, E. W., S150
Jackson, K. E., S55
Jackson, L. E., S6, S108
Jackson, N., S10
Jackson, T. A., S38
Jacob, N., 384
Jacobs, J. L., S38
Jacobs, K. A., S39
Jacobsen, B. J., S6, S31, S44, S106
Jada, N., S93
Jaime-Garcia, R., S39
James, R. V., S105
James, S., S124
Jandoubi, L., S30
Janisiewicz, W. J., S39, S46
Jankaew, K. S., S27
Jantasuriyarat, C., S39
Jaquez, J., 487
Jara, C., S50
Jardine, D. J., S111
Jarosz, A. M., S19, S94
Jasalavich, C. A., S39
Jeffers, S. N., S21
Jellison, J., S39, S73, S145
Jensen, A., 710
Jensen-Tracy, S., A1024
Jesperson, G., 87
Jetiyanon, K., S39
Ji, P., 1284
Jia, H., S39
Jia, Y., A1024, A1025
Jiang, T., S82
Jiménez, M. I., S116, S124
Jin, Y., 1064
Jo, Y., S40
Joardar, V., S92
Jock, S., S40
Joel, D. M., 1262
Johnson, D. (Minnesota), S17
Johnson, D. A. (Washington), S41, S66
Johnson, J. A., S40
Johnson, J. C., S34
Johnson, K. B., 1202
Johnson, R. D., S62
Johnson, R. R., 273
Johnson, S. V., S54
*Johnsongrass mosaic virus*, new virus relation, S74
Johnston, S. A., S40, S143, S144
Jomantiene, R., S91
Jones, A. M., S103
Jones, C., 456
Jones, D., S79
Jones, J. B., 273, 1284, S6, S27, S36, S57, S60, S108
Jones, J. (Louisiana), S22, S85
Jones, J. E. (U. K.), 816
Jones, P., S115, S118
Jones, R. W., 33, S143, A1024
Jones, S. S., S137
Joppa, L. R., S78
Jordahl, J. G., 527, S139
Jordan, D. L., S64
Jordan, R. L., 694
Jung, G., S13, S17, S72
Jurke, C. J., S40
Jurkowski, G., S40, S103
Juzwik, J., S43, S59, S88

Kabelka, E., 504
Kabir, Z., S40
Kado, C. I., S84
Kahn, B. A., S149
Kamoun, S., S102
Kanaan-Atallah, Z., S41
Kanaskie, A., S30, S54
Kanetis, L., S26
Kang, L., S138
Kang, S., 232, S41, S68, S103, S144
Kang, Y., S48
Kano, T., 542
Karasev, A. V., S105
Karasev, A., 1260
Karkashian, J. P., S125, S127
Karr, A., S49
Katan, J., 956
Katis, N. I., 603
Katzir, N., 1262
Keever, Z. T., S124
Keinath, A. P., 997, S150
Kelemu, S., S41
Keller, K. E., S82
Keller, N. P., S33, S73, S81, S91
Kelly, A. T., S150
Kelly, S. P., S108
Kema, G. H. J., 439, S30
Kemerait, R. C., S150
Kemmitt, G., S22, S53, S61, S77
Kennelly, M. M., S41
Kentucky bluegrass, summer patch, liming and nitrogen effect, S146
Kepka, G., S111
Kerkoud, M., 1077
Kers, J. A., S41
Khan, A. (California), S32
Khan, A. J. (Oman), 1038
Khan, J., S41
Khan, M., S41
Khan, V. A., S9, S79
Khang, C. H., S41
Khanna, A., S106
Kiewnick, S., S41
Killigrew, B. X., S42
Kim, B. V., S105
Kim, C. H., S46
Kim, H. (South Carolina), S39
Kim, H. T. (Korea), S62
Kim, J.-C., S62
Kim, J. F., S85
Kim, K.-H., 964
Kim, K. S., 646
Kim, K. W., 1095
Kim, M.-S., S39, S95
Kim, S. (Florida), S64
Kim, S. C. (Korea), S37, S45
Kim, S. G. (Korea), 1095
Kim, S. H. (Pennsylvania), S42, S58, S144
Kim, W. S. (New York), S42, S60
Kim, W.-S. (Germany), S28
Kim, Y. (Indiana), S42
Kim, Y. C. (Korea), S51
Kim, Y. H. (Korea), 964
Kim, Y. K. (Kansas), S42
King, G. J., 1134
King, P. C., S6, S60
Kingsley, M. T., S110
Kinkel, L. L., S17
Kinloch, B. B., Jr., 278
Kinney, D., S102
Kinziger, A. E., S42, S43
Kirk, W. W., S22, S66
Kirkpatrick, B. C., 1218, S70
Kirkpatrick, S. C., S27
Kistler, H. C., 1315, S31, S81
Kline, W. L., S40, S144
Kloepper, J. W., 1329, S39, S149
Klopfenstein, N. B., S36, S95
Kluepfel, D. A., S61

Knapp, E., S46
Knoedler, J., S146
Knogge, W., S28
Kobayashi, D. Y., S91
Kobiler, I., 1196
Koehle, H., S79
Koehler, K. J., S6
Koeller, W., S61
Kogel, K.-H., 59
Kohn, L. M., 785, S16, S42
Koike, S. T., S40
Köller, W. K., S63
Kong, P., 610, S143
Koprowski, H., 1260, S105
Kornahk, T. E., S23
Kornoely, J. P., S61
Kosted, P. J., 210, S43
Kotcon, J. B., S72, S77
Kousik, C. S., 197, 273
Koutsoudis, M., S57, S97, S144
Kowieski, T. M., S81
Krasnoff, S., S76
Kraus, G. A., 456
Kraus, J., S65
Krause-Sakate, R., 563
Kravchenko, A. N., S22, S37
Krenzer, E. G., S38
Krishna, V., 1334
Kroken, S., S102
Kromroy, K. W., S43, S88
Krueger, D. E., S11
Krueger, W. H., S49
Kucharek, T. A., S148, S150
Kuehnle, A. R., S27
Kühn, M. L., 1122
Kuldau, G. A., 232, S93
Kulemeka, B. P., S34
Kuninaga, S., 43, 893
Kunkel, B. N., S92
Kurdyla, T., S4
Kurle, J. E., S43
Kurtzweil, N. C., S31, S43, S45, S46, S78, S139, S140
Kuykendall, L. D., S43
Kwak, D. Y., S45
Kwon, C. (Michigan), S43
Kwon, C. Y. (North Dakota), 38
Kyhl, J. F., S43

Labavitch, J., S70
Lacy, G. H., S143
Lamari, L., 138, S113
Lamb, E. M., S71
Lambert, K. N., S7
*Laminaria digitata*, beta 1-3 glucan, resistance induced by, S108
Lamka, G. L., S111
Lamondia, J. A., S107
Lamour, K. H., 681, S139
Lamppa, R. S., S18, S137, S139
Lamprecht, S., S52
Lan, Z., S44
Landa, B. B., 129, S61
Lane, G. A., S62
Lane, L. C., S44, S141
Langham, M. A. C., S138
Langston, D. B., Jr., S44, S79
Lannou, C., 762
La O, M., S125, S126, S128, S132
Lapaire, C. L., S44
Lapidot, M., S127
Larena, I., 863
Larkin, R. P., 1160, S44, S80
Larrinaga, L., S134
Larrue, J., 384
Larsen, R. C., S44
Larson, B. J., S44
Lartey, R. T., S45
Larue, C. T., S45

Latin, R., S10, S34
Lauer, J. G., S140
Laux, P., S115
Lawrence, C. B., S17, S45
Lawrence, G. W., S150, S151
Lazarovits, G., 255, 548, S1
Lazarowitz, S. G., S102
Le Cam, B., 314
Le Gall, O., 169, 563
Leach, J. E., S46, S65, S112
Leal, P., S121
Leandro, L. F. S., S45, S87
Leconte, M., 1308
Lee, B. C., S37, S45
Lee, B.-N., S102
Lee, C. W., S78
Lee, D. C., S45
Lee, D. R., S122
Lee, F. N., A1025
Lee, H. K., S150
Lee, I. M., S39, S45, S52, S91
Lee, K. W., S45
Lee, M. E., S45, S46, S139
Lee, M. H., A1024
Lee, R. D., S33
Lee, R. F., S133
Lee, S. W., S46
Lee, T., S93
Lee, Y. M., S10
Lee, Y.-H., 232
Lee, Y-W., 232
Lefevre, C., S7
Legard, D. E., 1245, S50, S55
Legg, J. P., S109
Legumes, new fungi from Niña Bonita, S120
Lehman, J. S., 1104, S146
Leibrecht, A., S65
Leininger, T. D., S13, S87
Leisner, S. M., 190, S46
Leite, R. P., Jr., S31
Lemos, E. G. M., S12, S86
Lennox, C. L., S46
León, O., S125, S126
Leong, S., S17
*Leptographium* spp., on loblolly pine, root-feeding insects, S22
*Leptosphaeria maculans*, on oilseed rape, new avirulence genes, 1122
Lerner, J. M., S144
Lett, J.-M., 65
Letter to the editor
—*Alfalfa mosaic virus*, on soybean, chimeric rabies peptide, reexamination, letter to editor, 1260
—Internet-based fungal pathogen database, model, 232
—potato late blight, Mexican national program, 688
—*Tilletia indica*, allee effect and invasive potential, 1152
Lettuce
—aster yellows phytoplasma, strains, S90
—downy mildew, warning system, temperature and solar radiation, 631
—*Verticillium dahliae*, resistance analysis, S7
*Lettuce big-vein virus*, *Mirafiori lettuce virus* comparison
—cover photo, March
—transmission and etiology, 288
*Lettuce mosaic virus*
—resistance, recombinant virus for testing, 169
—resistance-breaking isolate, characterization, 563
Leverentz, B., S46, S99
Levesque, C. A., S25, S46, S64
Levy, L., S53
Levy, M., S81
Lewandowski, D. J., S46, A1024
Lewellen, R. T., S87
Lewers, K., S49
Lewis, P. I., S112
Leyva-López, N. E., S125
Lherminier, J., 384
Li, C., S47
Li, J. X., S139, S141
Li, L., S47, S80
Li, R., S47
Li, S. (Illinois), S47, S139
Li, S. D. (Beijing), S56
Li, S. F.-Y. (Singapore), 654
Li, W., S69
Li, Y., S36, S46
Lichtenzveig, J., 417
Lightner, G., S19
Lima, R. D., S107
Lindbo, J. A., S104
Linde, C. C., 946
Linderman, R. G., S47, S63
Lindgren, P. B., S85
Lindhout, P., S120
Lindow, S. E., S96, S97
Ling, H., S3
Lippok, B., S103
Lipps, P. E., S20, S21, S23
*Lissorhoptrus brevisrostris*, extracts from, inhibitors, S119
*Little cherry virus*, Canadian isolate, nucleotide sequence and genome organization, 87
Liu, B., S48
Liu, H. (Georgia), S19, S48
Liu, H.-Y. (California), S87
Liu, S., S48
Liu, X. Z., S56
Llauger, R., S126
Llorente, I., 99
Lo, C. T., S48
Locke, J. C., S48
Lockhart, B. E., S129
Lohrke, S. M., S48, S69
*Lolium perenne*, gray leaf spot
—isolate comparison and hosts, 245, *1253*
—resistance mapping, S17
*Longidorus* sp., on loblolly pine, host range and distribution, S26
Loper, J. E., 1202
López, D., S120
López, M. O., S120
López, R., S125, S126
López, Y., S133
López Manes, D., S126
López-N., J. E., S123
Lorang, J. M., S104
Lorbeer, J. W., S35, S82
Lorenz, G., S4, S79
Lorenzo, J. C., S120
Loria, R., S11, S16, S41, S84
Lot, H., 288, 563
Louws, F. J., S1, S16, S24, S25
Lovell, D. J., 497
Lozovaya, V., S47
Lozoya-Saldaña, H., S25
Lu, F., S110
Lu, G., S39
Lu, J. Y., S9
Lu, R., S129
Lu, S.-E., S49
Lu, T. Y., S9
Lucas, W. J., S75
Luce, K., S49
Lueth, P., S41
Lumsden, R. D., 1032
Luo, Y., S49
Lupien, S. L., S21
Lupin, anthracnose, genetics and morphology, 986
Luster, D. G., 833, S29
Lutton, E., S54
Lutz, M. P., S49
*Lycopersicon hirsutum* (see also Tomato)
—bacterial canker, resistance loci in strain, 504
—*L. pennellii*, late blight, quantitative resistance, S77
Lydiate, D. J., 1134
Lygin, A., S47
Lynch, R. E., S33, S149
Lyons, M. T., S49
*Lysobacter enzymogenes*, chitinases and glucanases, regulation, S91

Ma, Z., 519
Maas, J. L., S49
Maccheroni, W., Jr., 464
MacDonald, W. L., S94
MacGuidwin, A., S61
Machado, C., S62
Machado, M. A., 1048, S86
MacKenzie, S. J., 1245, S50, S55
MacKey, J., 710
*Macrophomina phaseolina*, on bean, isolates in Puerto Rico and Dominican Republic, S119
Madden, L. V., 1005, S21, S23, S41, S59, S72, S101
Madsen, B., S61
Magarey, P. A., S41
Magee, J. B., S77
*Magnaporthe grisea*
—appressoria, defective in mutants, S7
—appressorial penetration and hyphal growth, transcription factor, S63
—*Avr-Pita* gene family, evolution, S41
—chromosome 7, sequencing, S80
—on perennial ryegrass, epidemics and primary inoculum, S34
—phylogenetic analyses, S81
—protein kinase, cAMP-dependent, S42
—on rice: chromosome mapping, S19; genes, S47; nontoxic protection technology, 378; quantification during infection, PCR and northern blot analyses, 870; resistance mechanism, silicon cell wall fortification, 1095
—on tall fescue, resistance components, S152
—on wheat, gene-for-gene relation, 1182
Magnus, H., 710
Mahaffee, W. F., S50, S67, S70, S74, S100
Mahuku, G. S., 580, S50
Maier, T., S27, S37, S85
Main, C. E., S124
Mair, J., S54
Maisonneuve, B., 169
Maize (see also Corn)
—aflatoxin-resistant genotypes, proteome analysis, 1084
*Maize chlorotic dwarf virus*, genome sequence and polyprotein cleavage, S14
*Maize fine streak virus*, new leafhopper-transmitted rhabdovirus, 1167
*Maize necrotic streak virus*, tombusvirus relation, S68
*Maize streak virus*
—distribution in leafhopper, monitoring, 65
—on wheat, sequence characterization, 81
Malmstrom, C. M., S50
Maloney, P. E., 597
*Malus* spp., scab, formae speciales, 314
Malvick, D., S50, S138
Management
—bacterial diseases, copper role, S107
—methods of integration, perspectives, in Cuba, S135
—nematode: Florida landscape, S107, perennial ornamentals, S107
—phytosanitary issues, S111
—rice diseases, antagonistic bacteria, S110
Manceau, C., 1077
Mandal, B., S50, S51, S150
Manfio, G. P., S51
Manganese, oxidation, pathogenic fungi, S80
Mango

—bacterial apical necrosis, copper resistance, plasmid encoding, 909
—fruit disease severity, classification, S128
—*Fusarium decemcellulare* on, fungicides for control, S117
Manjunath, K. L., S133
Manker, D., S55
Manning, V. A., S51
Mannitol, fungal metabolism, plant-pathogen interaction, S83
Manuscript preparation, author's guide, 7
Maor, R., 590
Marais, L. J., S51
Marbán-Mendoza, N., S130, S133
Marcell, L. M., 1015
Marco, Y., 1142
Marcone, C., S45
Marek, S. M., A1024, A1025
Marett, C. C., S138, S140
Maribona, R., S116, S124, S132
Marigold, *Alternaria* sp. on, detection, S119
Marín, M., S131
Mark, G. L., S35
Marøy, A. G.,
Marques, L. L. R., S51
Marrakchi, M., 563, S30
Martin, D. (Cuba), S124
Martin, D. L., S38, S84, S88, S138, S141, S152
Martin, D. P. (South Africa), 81
Martin, F. N., 232, 1356, S40, S51
Martin, G. B., S102
Martin, R. R., S52, S65, S82
Martin, S. B., S52
Martínez, B., S118, S128, S130
Martinez, E., S65, S123, S124
Martínez, J. (Cuba), S132
Martinez, J. P. (Oregon), S52
Martínez, Y., S121, S126
Martinez-Ochoa, N., S50, S150
Martínez-Soriano, J. P., S123, S125
Martínez Zubiaur, Y., S132, S136
Martini, M., S45, S52, S91
Martyn, R. D., S34, S116
Marvel, J. K., S142
Mason, P. A., S52
Masters, C. M., S111
Matheron, M. E., S52
Mathews, D. M., S83
Matthews, K. R., S100
Matthysse, A. G., S97
Matveeva, E. V., S52
Maupin, L. M., S53
Mavrodi, D. V., S53
Mavrodi, O. V., S53
Mavrodieva, V., S53
Maximum pest limit, concept, S100
Maxwell, D. P., 487, 637, S33, S54, S56, S74, S75, S125, S127, S131
Maxwell, M. D., S127
May, K. J., S53
Mayama, S., 1182
Mayfield, C. T., S79
Maymon, M., 164
Mayoral, A., S33
Mazid, M. A., S62
Mazur, E., S39
Mazyad, H. M., S75
Mazzola, M., 1363, 1301, S27, S53, S64
McCartney, C. A., 138
McClung, C., 32
McClure, M. A., S18
McDaniel, R. G., S150
McDonald, B. A., 1175, 946
McDonald, G. I., S36, S73, S95
McEvoy, J. L., S63, S67
McFadden, A., S22, S53, S77
McGee, D. C., S56
McGill, M. A., S53
McGovern, R. J., S145, S150
McGrath, M. J., S53
McGrath, M. T., S144, S146
McGuire, I. C., S94
McInroy, J. A., 1329
McKenna, L., S48, S69
McKenzie, D., S108
McKirdy, S. J., 321
McLane, H., S76
McLaughlin, W., S127
McLean, K. S., S33, S149, S150, S151
McManus, P. S., S29, S83
McMillan, R. T., Jr., S54
McMillan, W. A., S54, S110
McMullen, M., S139
McPherson, M., S76
McSorley, R., S85, S107
McSpadden Gardener, B. B., 129, S54, S99
McWilliams, M. G., S30, S54
Meachen, E. W., S112
Meazza, G., S85
Medicinal herbs, shade-grown, diseases of, S68
Medina Pitaluga, J. L., S120
Meinhardt, S. W., 38, 527, S3
Mejia, L., S54, S127, S131
*Melaleuca alternifolia*, oil use in disease control, S12
Melcher, U., S90
Melchior, G. L., S54, S55, S87
Melgarejo, P., 863
Mellich, T. A., S60
*Meloidogyne* spp.
—*M. chitwoodi*, *Meloidogyne* spp. comparison, ribosomal integenic spacer, 884
—*M. graminicola*, on rice, yield effect in Bangladesh, S62
—*M. incognita*: *Crotalaria juncea* amendment effect, S85; parasitism genes, in esophageal glands, S37; on *Psidium guajava*, soil microflora, Venezuela, S131; on soybean, cultivar effect in Illinois, S3; on tomato, soil amendments, S84
Melon, monosporascus root rot, biocontrol in Taiwan, S48
Melouk, H. A., S55, S72
Melton, T. A., S79
Melzer, M. J., S151
Melzer, M. S., 780, S19
Méndez, A., S131
Mendoza-Zamora, C., S133
Menelas, B., S55
Meng, X., S55
Menge, J. A., 850, 857
Mercier, J., S55
Meredith, F. I., S29
Merrifield, K., S77
Mertely, J. C., S50, S55
Mesa, M. E., S135
*Mesocriconema* sp., on bentgrass, in Alabama, S33
Methyl bromide alternatives
—apple growth in replant soils, management, symposium, 1363
—fumigant emissions, symposium, 1344
—fumigants and drip irrigation systems, symposium, 1349
—pre-plant fumigation, symposium, 1337
—realities and concluding remarks, symposium, 1373
—soilborne pests, vegetable production systems, nonchemical management, symposium, 1367
—strawberry root pathogen control, biological approaches, symposium, 1356
—symposium introduction, 1334
Metzger, M. S., S55
Meulia, T., 1167
Mew, T. W., 32, S110
Meyer, F. W., S145, S146
Meyer, S. (North Dakota), S139
Meyer, S. L. F. (Maryland), S55
Miao, H., S76
Miao, Z. Q., S56
Micales, J. A., S56
Michailides, T. J., 406, 519, S14, S20, S49, S60
Michalakis, Y., 576
Michel, F. C., Jr., S13
Michelsen, P. M., S27
Michener, P. M., S11, S56
Michoski, C. E., S7
Microbiology, soil, species composition in North Carolina, S30
*Microdochium nivale*, on bluegrass and creeping bentgrass, incidence in mixed stand, S22
*Microsphaera pulchra*, on dogwood, protein analysis, S4
Migheli, Q., 936
Miklas, P. N., S44
Mila, A. L., S56, S101, S102
Milde, B. N., S33
Milgroom, M. G., S94
Milián, J. P., S124
Miller, A. J., S99
Miller, C. D., S38
Miller, D. R., S56
Miller, F., S39
Miller, G., S80
Miller, J., S68, S78, S139
Miller, S. A., S90
Miller, T. C., S36
Miller, W. A., S48
Millett, S. M., S56
Mills, D., S20, S110
Milne, R. G., 288
Milus, E., S56, S84
Mims, C. W., 803, S57
Min, B. E., 156
Minogue, T., S57, S97, S144
Minsavage, G. V., 273, S36, S57
*Mirafiori lettuce virus*, *Lettuce big-vein virus* comparison
—cover photo, March
—etiology and transmission, 288
Miranda, E., S121, S122, S127
Miranda, I., S118
Mireles, M., S128
Mirkov, T. E., S36
Mitchell, D. J., S27
Mitchell, T., S80
Mitkowski, N. A., S10
Mitter, V., S2
Mizumoto, C. Y., S4
Mmbaga, M. T., S4, S57
Model
—anthracnose on lupin, spatiotemporal, 1110
—artificial neural network, analytical tool, S101
—*Burkholderia*, soil diversity, farming system variation, S24
—disease prediction using leaf wetness, binary logistic regression, S64
—*Fusarium* growth in corn ears, mathematical, 534
—Internet-based fungal pathogen database, letter to editor, 232
—linear, designed experiments, S101
—MARYBLYT, improvements, S19
—raindrop kinetic energy, splash dispersal, 497
—rainfall-based, *Stagonospora nodorum* on wheat seed, 511
Moënne-Loccoz, Y., S68, S69
Mohamed, E. F., S23
Molina, J., S36
Momol, M. T., S6, S60, S108
Monci, F., 842
Mondal, S. N., 1267, S57
Mondjana, A. M., S44, S140
Monfort, W. S., S151
*Monilinia* spp.
—*M. fructicola*: germ tube development, redox regulation, A1024; on prune, inoculum poten-

tial and cultural practice, S49; on prune, latent infection, S49; on stone fruits, ethylene exposure, S62; on sweet cherry, fungicide resistance and alternate row-spraying potential, S2; transformation by *Agrobacterium tumefaciens*, green fluorescent protein, A1025
—*M. vaccinii-corymbosi*: on blueberry, biocontrol of flower infection, S73; on blueberry, clone variation, S64; on blueberry, infection factors, 1104; on blueberry, stigmatic exudate effect, S59; pseudosclerotial distribution, cultivation effect, 877
Monks, D. W., S25
Montero, N., S121
Montes, N., S57
Montesinos, E., 99
Montilla, J., S128
Moore, M. K., S14
Moore, P., S76
Moore, W. F., S148
Moorman, G. W., 232, S28, S58, S144
Morales, F., S109, S119
Morales-Payan, J. P., S58
Moreira, A. J. A., S32, S58, S140
Morello, J. E., S58
Moreno Díaz de la Espina, S., S114
Moreno Onorato, J., S117
Morey, K., S45
Morgan, D. P., S49
Morgan, G. W., S58
Morgan, W. R., S102
Morgan-Jones, G., S151
Morin, S., S96, S116
Moriones, E., 842
Morissette, D., S144
Morris, J. B., S84
Morris, P. F., A1025
Morris, R. F., S152
Mosqueda, M., S133, S117
Motoyama, T., 75
Moyer, J. W., S59
Mozafari, J., 87
Mozzoni, L. A., S71
Mueller, D. S., S58
Mueller, J. D. (South Carolina), S80
Mueller, J. P. (California), 1349, S58
Mullinix, K., 1363
Mullins, E., 232, S103
Mulrooney, R. P., S144, S151
Mundt, C. C., 617, 624, 1175, S95, S96
Muñiz, Y., S118, S125, S128
Munkvold, G. P., S64
Muñoz, F. R., S117
Munõz, J., 580
Murillo, J., 909
Murphy, J., S146
Murray, T. D., 703, S137
Mushrooms, maitake, oyster, and reishi, leachate effect on bacteria, S151
Mycofumigation, soilborne diseases, S31
Mycorrhizae, arbuscular, plant defense genes, S144
*Mycosphaerella* spp.
—*M. citri*: on citrus: pseudothecia and ascospores, environment effect, S57; *Mycosphaerella citri* on citrus, pseudothecium and ascospores, factors, 1267
—*M. fijiensis*: alternate gene control methods, S136; on banana, detached leaf assay, S135; on banana, fungicide sensitivity, in Cuba, S131; on *Musa* spp., plant-pathogen interaction, S116; physiology and morphology, in Ecuador, S124
—*M. graminicola*: field populations, genetic structure, 946 mutation in coding and flanking regions, S81; on wheat, cultivar mixture effect, 617; on wheat, gene-for-gene relation, 439; on wheat, isolate aggressiveness, 624; on wheat, race-specific resistance, 138; on wheat, resistance and molecular mapping, S2; on wheat, resistance genes, S68; on wheat, sexual reproduction frequency, 1175
Mycotoxin
—aflatoxin: *Aspergillus* spp., in Mississippi Delta, S1; corn and peanuts, drought tolerance, S33; maize genotypes resistant to, proteome analysis, 1084; role of host for *Aspergillus* and *Arabidopsis*, S33
—fumonisin, *Fusarium verticillioides* on corn, S25
—ochratoxin, aerosol exposure, S93
Myers, D. S., S150
Myles, L., S4

Nagai, C., S76
Nagata, R. T., S148
Nahkla, M. K., 487
Naidu, R. A., 729, S58
Nakahara, K., 542
Nakhla, M. K., S54, S74, S75, S127, S131
Nalim, F. A., S145
Nameth, S. T., S134
Naranjo, M., S116, S128
Nason, J. D., S40
Navas-Castillo, J., 842
Nazaret, S., S69
Neate, S., S7
*Nectria haematococca*, gene for pathogenicity and catabolic activity, for pea, S70
Nelson, B., S8, S137
Nelson, R., S109, S131
Nelson, S. D., 1349
Nematicides
—DiTera, mode of action, S105
—field development experiences, S105
—*Laetiporus sulphureus* and *Ganoderma lucidium* as source, S70
—lesion nematode control, biologically derived, S72
—root tip exudate effect, legumes, S18
Nematodes
—foliar, nursery production, S107
—ornamentals, field diagnosis, S107
—root-associated microbes antagonistic to, detection, S55
Nemchinov, L. G., S59, S105
Neninger, H., S115, S128, S129
*Neotyphodium* spp., on grasses, endophyte producing ergovaline, S62
NeSmith, D. S., 877
Nesmith, W. C., 400, S35
Nester, S. E., S142
Neuman, M. F., S59
Neves-Martins, J., 986
New, S. L., S59
Neyra, M., S122
Ngugi, H. K., 877, 1104, S59, S73
Niblack, T. L., 456, S7, S16, S38, S59, S88
Niblett, C. L., S133
Nichols, E. S., S100
Nicol, R. W., 534
Nicolas, P., 308
Nicole, M., 336
*Nicotiana* spp., mildew, gnotobiotic associations, 400
Niederhauser, J. S., 688
Nigel, H., S127
Nikolaeva, E. V., S52
Niks, R. E., S120
Nilpanit, N., S110
Nimtz, M., S28
Nissinen, R. M., S59
Nita, M., S59
Nitao, J. K., S55
Nitric oxide, synthase in plants, comparison in animals, S87
Nitzan, N., 827
*Nodulisporium* sp., on lemon, in Arizona, S52
Noling, J. W., 1373
Nomura, K., S92
Nordheim, E. V., S78
Norelli, J. L., S147
Norman, D. J., S60
Novacky, A. J., 456
Ntahimpera, N., S60
Nunes, C., 281
Nunez, J., S55, S70
Nuno V. P. Ribeiro, L., S118, S132
Nutter, F. W., Jr., 478, 668, S24, S32, S45, S55, S58, S60, S138, S140

Oak (see also *Quercus*), sudden death
—eradication in Oregon, S30
—survey in Oregon, S54
—tree susceptibility assessment, S33
Oberle, C. S., S87
Obituary, Shu-Huang Ou, 32
Obradovic, A., S6, S60, S108
O'Brian, G. R., S73
O'Brien, S., S89
Obsuwan, K., S27
Ocamb, C. M., S100
Ockey, S. C., S60
O'Connell, M., 1110
O'Connell, N. V., S51
Oda, C., S76
*Odontoglossum ringspot virus*, on orchid, detection using DNA biosensors, 654
Odvody, G., S57
Oesch, N. W., S52
Ofelia López Mesa, M., S126
Ogram, A., S21
Oh, C.-S., S60
Oh, H. S., 1182
Ojiambo, P. S., A1025
Okubara, P. A., S61
Olatinwo, R. O., S61
Olaya, G., S61, S111
Oldach, K., S28
Oleas, A. R., S24
Olivain, C., 936
Oliveira, A. C., 1048
Oliveira, H., 986
Olivera Rodríguez, H., S120
*Olpidium brassicae*: vector for *Mirafiori lettuce virus virus* and *Lettuce big-vein virus*, 288
Olson, B. D., S22, S53, S61, S77
Olson, M. E., S51
Olson, S. M., S6, S60
Olson, T. N., S42
Omer, M., S61
O'Neill, N. R., S64, S83
Ong, K. L., S61
Onion
—center rot, mulch and irrigation effect, S149
—foliar pathogens, spray programs, cost benefit, S44
—purple blotch, resistance induced, S4
Oomycetes, host range, flower production greenhouses, S146
Opgenorth, D., 721
*Ophiosphaerella korrae*, on bermudagrass, isolate aggressiveness in populations, S38
*Ophiostoma* spp., wood products and genetics, S95
Orange, green mold, Armicarb-100, S90
Ordosgoitti, A., S129
Orellana Pérez, P., S125
Ornamentals, chlorine and hydrogen dioxide toxicity, S148
*Orobanche*
—*O. aegyptiaca*, *Fusarium* spp., hypervirulence enhanced, indole-3-acetic acid, 590
—*O. crenata*, variation, in Spain and Israel, 1262
—*O. cumana*, on soybean, resistance activation by benzothiadiazole, 59
—*O. ramosa*, on tomato, triiodobenzoic acid effect, S34

Oropeza, C., S118, S126
Ortego, F., S114
Ortiz, O., S109
Ortíz, U., S117
Ortiz-Ribbing, L. M., S61
Osbourn, A. E., S103
Oshima, M., 75
Ospina-Giraldo, M., A1024, S68, S103
Osterbauer, N., S30, S54
*Ostrinia nubilalis*, on corn, interaction with gray leaf spot in stalk rot, S5
O'Toole, G., S98
Otrosina, W., S95
Oudemans, P. V., S18, S61, S62, S143, S145, S146
Outreach
—APSnet Education Center, new resource, S113
—symptoms and sign demonstration, S113
Ownley, B. H., S9, S31, S98
Ozaki, K., 542
Özbek, E., S96
Ozdemir, Z., S62
Ozmon, E. A., 755

Pace, P. F., S153
Pacumbaba, R. O., Jr., S151
Pacumbaba, R. P., S151
Padgett, G. B., S151
Padgham, J. L., S62
Padilla, D., S129
*Paecilomyces lilacinus*, biocontrol product from, S41
Paez, G. T., S24
Pagani, C. M., S62
Paillet, F. L., S94
Pain, N. A., S135
Pairol, A., S123
Palmateer, A. J., S151
Palmieri, M., S116
Palou, L., S62
Palukaitis, P., 51
Pamplona, R., S110
Pan, Y.-B., S32
Pan, Z., A1025
Panaccione, D. G., S62
Pandelova, I., S51
*Panicum virgatum*, reservoir in range grasses, S26
*Pantoea* spp.
—*P. agglomerans*: on apple and pear, biocontrol in orchards, 1202; on corn leaves, 1015; on cranberry, characterization, S83
—*P. stewartii*: biofilm formation, quorum sensing, S57; on corn, biofilms and surface attachments, S97; on sweet corn, quorum sensing regulation, S144
Papaya
—transgenic: technology transfer in Venezuela, S120; virus mixtures, effect in Puerto Rico, S25virus resistance, S122
*Papaya ringspot virus*, resistance in Florida, S18
Papiernik, S. K., 1344
Pappu, H. R., S50, S51
Paradkar, M. R., S73
Parasitism, evolution, essential genes, S103
Parisi, L., 314
Park, E. (Maryland), S63
Park, E. W. (Korea), 1095
Park, G., S63
Park, J.-H., S62
Parke, J. L., S47, S63
Parker, D. M., S63
Parker, J., S129
Parker, S. R., 497
Parkin, I. A. P., 1134
Parks, W. J., S150
Parsons, C., S56
Partipilo, H. M., S63
Partridge, D. E., S64
Partridge, J. E., S8, S26
*Pasteuria penetrans*
—in soil, detection with specific PCR, S21
—vegetative and sporulating structures, S28
Pastor-Corrales, M. A., S64
Pataky, J. K., S11, S56, S64
Pataky, N., S5
Pathogenicity, genetics in plants, S103
Patil, V., 710
Paul, P. A., S64
Paulin, J. P., 1077
Paulitz, T. C., 769, S64, S74
Paull, R., S76
Paulus, A. O., S129
Pavan, M. A., 563
Payne, G. A., S73
Payton, M. E., 347, S38
Pazos, V., S118, S124, S130
Pea, Mycosphaerella blight, dynamics, S90
Peach
—leaf rust, low-chill effect in subtropical climate, S132
—nematodes, Illinois, S71
—*Plum pox virus*, aphid vector competence, S29
—replant disorder, specificity, S10
—scab, captan/sulfur tank-mixes, S76
Peacock, A. D., S49
Peanut
—*Aspergillus* on seed, oxygenases, S81
—clump disease, pecluviruses, West Africa and India, S58
—disease and yield, in-furrow treatments, S12
—early leaf spot: fungicide factors, S149; peanut-corn intercropping effect, S21
—leaf spot: southern stem rot, flutolanil for, S12; tillage practice and fungicide, S151
—rust, fungicides in Florida, S150
—Sclerotinia blight, fluazinam and biocontrol agent forcontrol, S64
—*Sclerotinia minor*, relative humidity effect, S55
—southern stem rot: epidemics, S152; fungicides and environment, S102; fungicide and seeding factors, S74
Pear
—brown spot, relative humidity and wetness period, 99
—decline, phytoplasma in California, pear psylla, 1218
—Phacidiopycnis rot, postharvest, S88
—*Phytophthora* spp. in fruit, irrigation water in Washington, 1210
—postharvest decay, fungus and chemical control, 281
Pearl millet, toxigenic fungi, host differences, S87
Peart, J. R., S129
Pecan, leaf and nut scab, fungicide combination, S74
Pedersen, P., S140
Pedersen, W., S47, S139
Peever, T. L., 794, 1210, S7, S36
Peltier, A. J., S31
Peñalver Martinez, N., S126
Peng, G., S9
*Penicillium* spp., on apple and citrus fruit, tissue acidification, S67
—*P. digitatum*, on grapefruit, resistance induced by yeast, 393
—*P. expansum*: on apple, postharvest, inoculum cycling, S145; on apple, postharvest decay, biocontrol, S39; on apple, resistance induced by, 900
—*P. oxalicum*, biocontrol for tomato Fusarium wilt, 863
Penman, L. N., S64
Pennypacker, B. W., S42
*Pentastiridius* sp., on sugar beet, syndrome "basses richesses," relation, 384
Pepper
—bacterial spot, neem oil and fish emulsion applications, S1
—Phytophthora blight, resistance, S5
Peral, R., S119
Perales Rosas, D., S130
Peralta, E. L., S115, S118, S122, S123, S124, S126, S130, S134
Percich, J. A., S24
Percich, J. E., S43
Peres, N. A. R., S64
Pérez Miceli, A., S127
Pérez Ponce, J., S125
Pérez Vicente, L., S135, S136
Pérez, B., S65, S122
Pérez, C., S3
Pérez, I., S134
Pérez, J., S115, S118, S130
Pérez, L., S114, S131, S132
Pérez, M., S117, S119, S131, S133, S134
Pérez, N., S132
Pérez, S., S150
Pérez, Y., S122
Pérez-García, A., 909
Pérez-Pérez, E., S131
Pérez-Vicente, L., S115
Perkins, J. M., S53
Pernezny, K., S118
*Peronospora* spp.
—*P. arborscens*, on poppy, epidemiology, S101
—*P. tabacina*: on *Nicotiana* spp., gnotobiotic associations, 400; on tobacco, isolate genetic uniformity, 1236; on tobacco, restriction fragment length polymorphism probes, 1227; on tobacco, sporulation on roots, cover photo, April
Perry, R. N., 378, S105
Pesic-Vanesbroeck, Z., S25
Pestana, M., S132
Peteira, B., S126, S130
Peteira Delgado, B., S118
Peters, D., 603
Peterschmitt, M., 65
Peterson, G. L., 217
Pethybridge, S. J., S35, S65
Petunia, new virus, S134
Petzoldt, C. H., S108
Peypelut, M., 563
Pfeiffer, T. W., 446
Pfender, W. F., S65
Pfund, C., S65
*Phacidiopycnis piri*, on pear, infection court, S88
*Phaeocryptopus gaeumannii*, on Douglas-fir
—colonization quantification, 112
—epidemic creation, S95
*Phaeoisariopsis griseola*, on bean, Afro-Andean group, molecular markers, 580
*Phaeomoniella chlamydospora*, on grape
—pruning wounds and *Phaeoacremonium* sp., S32
—pycnidial state in California, S24
*Phakopsora pachyrhizi*, urediniospore germination, sequence tags, S66
Pharand, B., 424
Pharr, D. M., S83
*Phaseolus vulgaris*
—*Fusarium oxysporum*, detection in plants using DNA procedure, 237
—mosaic virus resistance, genotypes, S133
—*Rhizoctonia solani*, in Mexico, S133
—rust, virulence distribution in field, 755
—virus epidemic, Great Lakes region, S44
*Phialophora gregata*, on soybean
—genotype distribution, cultivar, S50
—soil pH effect, S43
—symptom modification, S42
Philion, V., 769, S145
Philip, R., S106
Phillips, D. V., 785
Phillips, M. S., 884

Philogène, B. J. R., S7
*Phoma* spp., on alfalfa, chemical control in Alberta, S85
—*P. ligulicola*, on pyrethrum, isolates in Tasmania, S65
—*P. medicaginis*, on alfalfa, molecular variability and pathogenesis, S12
*Phomopsis* spp.
—*P. helianthi*, on sunflower, molecular variability, 308
—*P. longicolla*, on soybean, weed hosts in Arkansas, S150
—*P. vaccinii*, on cranberry, probable cause, S12
Phyllosphere
—corn, bacterial colonization of leaves, 1015
—dispersal and epidemic velocity, scale effect, S96
*Phytophthora* spp.: in China, survey, S89; on citrus, hypovirulent isolate protection, S16; elicitin genes, S77; on European beech, cankers, A1024; fatty acid production, identification use, S21; genomics in plant interactions, S102; in irrigation water recycling system, Virginia, S11; isolation from irrigation water, membrane filters, 610; on ornamentals, dieback diseases, S47; on pear, irrigation water in Washington, 1210; recycled irrigation water, significance in ornamental production, S143; recycled water irrigation system, Virginia, S142; on soybean, detection with PCR assay, 217
—*P. capsici*: on bell pepper, resistance, S5; biorationals for control, screening, S71; on cucumber, cover photo, June; in Florida, characterization, S81; on pepper, detection in Florida, S27; on pepper, mefenoxam and timing intervals, S143; on pepper, resistance, S40; on pepper, varietal resistance, S144; on pepper and cucurbits, genetics and control, S139; on pepper and squash, mefenoxam sensitivity, S11; spatiotemporal enetic structure, disease management and management, symposium, 681; sporangia and zoospores, oxamide effect, S89
—*P. cinnamomi*: on *Banksia attenuata*, benzoic acid as pre-treatment, S86; on loblolly pine, in Alabama, S85; *P. citricola* comparison, on walnut, resistance and grafts, S10
—*P. infestans*: genetic variability and markers, S137; in herbarium specimens, mitochondrial DNA haplotype, S53; on petunia and *Nicotiana*, S145; population in Israel, major changes from 1983 to 2000, 300; on potato, climate relation in Cuba, S134; on potato, Gavel 75 for control, S22; on potato, genetic instability in isolates, S32; on potato, genetics in Costa Rica, S30; on potato, in Mexico, S25;on potato, seedborne clonal lineages, S63; on potato, in Taiwan, S143; on potato, transmission, S63; sporangia and zoospore survival in water, S66; on tomato and potato, genetic diversity in North Carolina, 1189
—*P. kelmania*, molecular characterization, other new species, A1026
—*P. megakarya*, on cacao, in Papua New Guinea, S2
—*P. nicotianae*: genetic variability, PCR analysis, S127; on pineapple, resistance selection method, S133; on tobacco, variability in Cuba, S133
—*P. parasitica*: on citrus, biocontrol with *Pseudomonas putida*, 850; zoospore distribution in water, irrigation relation, S84
—*P. ramorum*: on ericaceous species, S81; on forest trees, cankers in California and Oregon, S17; on *Vaccinium*, in California and Oregon, S63
—*P.sojae*: population shift, management, S20; on soybean, *PDR-5*-like transporters, A1025; on soybean, resistance and trait loci, S11; on soybean, resistance locus, S10
Phytoplasma
—alfalfa witches'-broom, identified in Oman, 1038
—elm yellows group, classification and protein gene sequence, S45
—pear decline, California, psylla relation, 1218
—on sugar beet, "basses richesses," 384
—typing, PCR and genetic sequences, S82
Phytotoxin, chlorosis-inducing, tan spot of wheat, 527
Piccinni, G., S10
Pichardo, T., S122
*Pichia guilermondii*, on strawberry, biocontrol agent, 976
Picton, D. D., S65
Pierson, E. A., S58
Pierson, L. S., III, S58, S86
Pike, S. M., 456
Pilowsky, M., S127
Pineapple
—mealybug wilt, closterovirus, mealybug exposure, 928
—mealybug wilt symptoms, cover photo, September
—nematodes, resistance, S76
—nematodes, resistance and acibenzolar-S-methyl, S15
—transformation genetics, S120
Pinkerton, J. N., S65
Piñón, D., S128
Pinón, M., S126
*Pinus* spp., anthracnose, tracer, model for spread in field, 1110
—*P. elliottii*, seed treatment, silver nitrate, S20
—*P. jeffreyi*, dwarf mistletoe, host interaction in Sierra Nevada, 597
—*P. nigra*, *Sphaeropsis sapinea*, systemic resistance, S8
—*P. ponderosa*, Douglas-fir comparison, diversity in Cascade Mountains, S36
—*P. radiata*, chips harboring fungi, Chili to USA, S56
—*P. strobiformis*, blister rust, pathosystem and genetic specificity, 278
Pires, E., S33
Pistachio
—Alternaria late blight, isolate characterizations, 406
—Botryosphaeria blight, carbohydrates, S60
—*Botryosphaeria dothidea* on, isolate characterization and hosts in California, 519
Pitts, J. A., S76
*Plasmopara viticola*, on grape
—DMCast refinement, S41
—oospore viability, soil treatments, S42
Plattner, R. D., S19, S67, S93
*Plectosporium tabacinum*, on pumpkin, in Illinois, S5
Plovanich-Jones, A. E., S92
*Plum pox virus*, detection and quantification, S75
*Podosphaeria leucotricha*, on apple, incidence and density relations, 1005
Pogue, G. P., S104
Polashock, J., S61
Poling, E. B., S25
Polityko, V. A., S52
Polymerized chain reaction
—bacterial disease diagnosis, S110
—specimen preparation, S110
*Polymyxa graminis*, on wheat, temperature and soil matric effect on infection, S17
Pomella, A., 1032
Ponciano, G., S65
Pool, W. M., S109
Poole, E. C., S66
Poplawsky, A. R., S66
Porat, R., 393
Porchas, M., S52
Porter, L. D., S66
Posada, M. L., S66
Postharvest pathology
—biocontrol with *Colletotrichum coccodes*, 33
—biological management, S106
—blue mold of apple, disease control agents, 900
—*Colletotrichum gloeosporioides* on avocado, protection mechanisms, 1196
—pear decay, fungus and chemical control, 281
Postman, J. D., S65
Postnikova, E., S2, S66, S72, S110
Potato (see also *Solanum* spp.)
—aspartic proteases, antimicrobial activity, S33
—bacterial pathogens, diagnostic assay, S25
—begomovirus, in Cuba, S117
—black dot, vegetative compatibility groups in pathogen, 827
—early blight: management in Sudan, S71; partial resistance analysis, S90; strobilurin fungicides, Wisconsin, S71
—early dying, prevention in California, S70
—Fusarium dry rot and silver scurf, biocontrol products, S106
—*Fusarium sambucinum*, thiabendazole resistance, synthetic peptides, 917
—late blight: compatibility genomics, S77; durable resistance and management, S32; genetic diversity and structure in fungus, North Carolina, 1189; management in Peru, S109; resistance analysis, S16; resistance in Mexican national program, letter to editor, 688; tuber rot and fungicide management, S53; zoxamide and mancozeb, premix, S61
—nematodes, survey in North Dakota, S52
—phytoplasma on, detection and infection, S125
—powdery scab, European and North American isolates, analysis, S67
—*Rhizoctonia*, biocontrol and ryegrass rotation, S80
—soilborne disease, cropping systems and soil microbial communities, S44
—Verticillium wilt, coinfection, S61
—virus sanitation, S122
—viruses, detection method, S75
*Potato leafroll virus*, cultivar resistance, in Cuba, S117
*Potato spindle tuber viroid d*, detection, in Cuba, S122
*Potato virus Y*, ultrastructure, in Egypt, S23
Potter, J. L., S131
Powell, J., S13
Powelson, M. L., S63
Powers, K., S8
Powers, T. O., S29
Pozdnyakova, L., S145
Pradhanang, P., S60
Pratt, R. G., 204, S66
*Pratylenchus crenatus*, on carrot, spatial distribution effect on yield and quality, S35
Press, C. M., S67, S70, S74
Prischmann, J., S18
Proctor, R. H., S67
Programmed cell death
—apopotic genes, disease protection, S104
—tracheary element differentiation, S103
—victorin role, S104
PROPLANT, information option, in Cuba, S135
*Prosopis* spp., pathogens in Mexico and Texas, S46
Provin, E. M., 917
*Prunus* spp., resistance to gummosis, shot hole, and rust, screening method, S68
Prusky, D., 33, 1196, S67
Pruvost, O., 336
Pryor, B. M., 406, S7
*Pseudomonas* spp.: antibiotic from, in Ohio, root disease suppression, S54; hydrogen cyanide synthase biosynthetic genes, phylogeny, S68; on leaves, survival and UVR sensitivity, S38; mutagenic DNA repair, ecological fitness, S90
—*P. aureofaciens*, phenazine biosynthesis, regu-

lator, S86
—*P. chlororaphis*, biofilm formed by, gene involvement, S51
—*P. fluorescens*: biocontrol, cell stress effect, S69; biofilm on abiotic surfaces, S98; *Pythium* biocontrol, on alfalfa, S3; in rhizosphere, diacetylphloroglucinol production, population monitoring, 129; root colonizing, genetics, S53
—*P. putida*: biocontrol agent, *Phytophthora parasitica* control in citrus, 850; biofilm development, surface development, S97; in soil, effect on soil microbial communities, 857
—*P. savastanoi*, strain variability, hosts, S71
—*P. syringae*: on apple, diagnosis by PCR, *hrpL* gene primers, 1077; on *Arabidopsis*, *hrp*-regulated genes, S92; on *Arabidopsis*, resistance gene *RPS4*, S90; on cucurbits, detection by PCR, S62; genomics and pathogenicity, S102; on mango, copper resistance, plasmid encoding, 909; phyllosphere and field, S96; plasmid, nucleotide sequence analysis, S79; races, North Dakota, S139; survival on leaves, S97; on sweet cherry, eradication in bud sticks, S33; syringomycin production, Syr proteins, S49; on tomato, biocontrol, 1284
*Pseudoperonospora cubensis*, on cucurbit, long-distance forecasting, S124
*Pseudotsuga menziesii*, Swiss needle cast, colonization quantification, 112
*Puccinia* spp., on wheat, infection efficiency, light effect, 1308
—*P. andropogonis*: on big bluestem, fire effect on infection, S6; phylogenetic analysis, S79
—*P. coronata*: on barley, resistance sources, 1064; on oat, phenotypic recurrent selection, S12
—*P. dioicae*, on *Erigeron strigosus*, burning and nutrient additions, S18
—*P. graminis*, on ryegrass, nonparametric spatial analysis, S65
—*P. hemerocallidis*, on daylily, temperature effect, S58
—*P. jaceae*, on yellow starthistle, teliospore germination factors 355
—*P. sorghi*, on sweet corn, resistance, S11
—*P. striiformis*, epidemics and races in North America, S14
—*P. triticina*: on wheat, resistance, inbred lines, S75; on wheat, uredospore production, carbon and nitrogen relation to lesion size and density, 762
—*P. tritici-repentis*, on wheat, race 1 reaction to toxins, cover photo, January
Pujol, M., S119, S131, S132
Pujol Ferrer, M., S119
Pumpkin, Plectosporium blight, in Illinois, S5
Purcell, A. H., S3
*Pyrenophora* spp.
—*P. teres* on barley, transformation, S7
—*P. tritici-repentis* host-selective toxin, analysis, S52; host-selective toxin, S51; host-selective toxin, new race, S3; toxin, amino acid residues, S51; on wheat, race 1, toxin sensitivity, 38; on wheat, tan spot toxin, chromosome location, 527
*Pyricularia grisea*
—on perennial ryegrass, isolate relations, 245, *1253*
—on rice, multilocus gene genealogy, S16
*Pythium* spp.
—on alfalfa, biocontrol by *Pseudomonas*, S3
—on apple and wheat, new species in Washington, S64
—on cotton, damping-off control with *Trichoderma*, 177
—on greenhouse floral crops, Pennsylvania, S144
—isolation from irrigation water, membrane filters, 610
—metalaxyl sensitivity in isolates, S147
—populations, genetic markers, S28
—propamocarb resistance, S58

Qi, M., 870
Qi, W., S145
Qiu, D., S67
Qiu, W. P., S67
Qu, X. S., S67
Quagliotto, L., S3
Quan, S., S131
Quarantine, *Guignardia citricarpa* on woody plants, 464
*Quercus* spp. (see also Oak), mortality, crown, and decline, Minnesota, S43
Quiala, I., S122
Quijada, O., S131
Quiñones, M., S121, S126, S132, S136
Quintero, C., S133
Quintero Fernández, S., S120
Quirino, B. F., S67

Raaijmakers, J. M., S21, S99
Rabedeaux, P. F., S67
Rahme, L. G., S103
Raina, R., S103
Ralphs, M. H., S70
*Ralstonia solanacearum*
—on *Arabidopsis*, ethylene-insensitive mutant, 1142
—detection methods, biovar differentiation, S52
—ELISA method for detection, S74
—on geranium, race 3, Guatemala, S42
—green fluorescent protein, virulence gene expression, S48
—pathogen motility, S3
—strains and fluorescent protein, pathogenesis, S19
Ramachandran, P., S71
Ramette, A., S68
Ramírez, I., S126
Ramírez, P., S125, S127
Ramon, M. C., S18
Ramos Zayas, J. A., S136
Ramos, B., 237
Ramos, P., S117, S119
Ramos-Leal, M., S132
Rand, R. E., S105
Rane, K. K., S34
Rang, H., S4
Rascoe, J., S82
Rasmussen, J. B., 38, S7
Raspberry, *Tomato ringspot virus* and *Xiphinema americanum* on, detection and management, S65
*Rathayibacter* spp., genomic fingerprinting, amplified fragment length polymorphism, S2
Rathbone, M. C., S145
Rauyaree, P., S68, S103
Ravva, S., S21
Ray, S., S68
Re, E. B., S10
Rea, W., S151
Reade, R., 87
Rebordinos, L., S82
Rechcigl, N. A., S107
Recorbet, G., 936
*Red clover necrotic mosaic virus*, gene silenced transgenic plants, methylation, S86
Reddy, M. S., 1329
Redinbaugh, M. G., 1167, S14, S68
Redondo, E., 169
Reed, A. N., S46
Reedy, R. M., S91
Reeleder, R. D., S68
Reeser, P. W., S17, S95
Regnault-Roger, C., S7
Reid, L. M., 534, S7
Reilly, C. C., S68
Reina, J., 842
Remphrey, W. R., S15
Resistance
—alfalfa to *Sclerotium rolfsii* and *Sclerotinia trifoliorum*, 204
—apoptotic regulatory factors, S104
—barley to crown rust, 1064
—barley to scald, near-isogenic lines, 710
—*Botrytis cinerea* to dicarboximide, 75
—*Brassica* spp. to black rot, race-specific resistance inheritance, 1134
—chickpea to *Didymella rabiei*, biometric analysis, 417
—cotton to bacterial blight, near-isogenic lines, 1323
—epistasis analysis, resistance responses, S40
—expression profiling and reverse genetics, S102
—faba bean to rust, histology, 294
—*Fusarium sambucinum* to thiabendazole, on potato, 917
—genes, molecular markers, polymorphism, S106
—lettuce to *Lettuce mosaic virus*, recombinant virus test, 169
—pathogen variation, breeding relation, S121
—rice to bacterial blight, gene mapping, 750
—signal transduction, RPS2 interaction, S67
—sunflower to *Orobanche cumana*, benzothiadiazole effect, 59
—tomato to: bacterial canker, loci, 504; Fusarium crown and root rot, compost-mediated resistance, 424
—transgenic plants to insects, Cuba crops, S132
—wheat to Septoria tritici blotch, race-specific, 138
—white pine to blister rust, specificity, 278
Restrepo, S., S77
Rethwisch, M. D., S82
Rettler, A., S40
Retzel, E., S106
Reviewers, acknowledgment, 4
Reynaud, B., 65
Rezk, A. A., S75
Rezzonico, F., S69
Rhizobacteria
—negative signaling, S58
—plant growth promoting: diacetylphloroglucinol, 129; resistance induced in Thailand, S39
*Rhizobium* spp., biofilm formation on surfaces, S27
*Rhizoctonia* sp., on rice, morphology and physiology, S129
—*R. solani*: anastomosis group AG-13, 893; anastomosis group-2, sequences and virulence, 43; on collard, velvetbean cover crop effect, S150; on impatiens: composted swine waste effect, S19; web blight, S54; on rice, resistance to Venezuelan isolate, S18; on tobacco, new varieties and lines, S126; on wheat, suppressive soil, anastomosis groups 5 and 8, 1301
*Rhizopus oryzae*
—cotton, control with *Trichoderma*, 177
—on mulberry root, enzymes, S89
Rhizosphere
—bicontrol, biotechnology application, S99
—tobacco, soybean, and corn, microbial community differentiation, methyl ester analysis, S61
Rhodes, L. H., S80
*Rhynchosporium secalis*, on barley
—molecular analysis of inoculation, S28
—resistance and near-isogenic lines, 710
Rice
—bacterial blight, resistance, gene mapping, 750
—blast: defense genes, genomic approach, S39; infection quantification, PCR and northern blot analyses, 70; molecular control, A1024; resistance genes *Pi-ta* and *Pi-ta*$^2$, A1024; resistance loci, defense response, S46; resistance mechanism, silicon cell wall fortification, 1095

—breeding and gene mapping, candidate ESTs, S106
—RSV, detection using RT-PCR, in Korea, S45
—seed infection in Cuba, S128, S129
—sheath blight, transcribed spacer sequence, Arkansas, A1025
—transformation genetics and methodology, fungus and insect resistance, S131
—transgenic, insect resistance, S114
—trifloxystrobin-based fungicide, S148
Richard, J. L., S93
Richard-Molard, M., 384
Richards, K., S96
Richards, T. L., S39
Richardson, P. A., 610, S143
Ricker, M. D., S69
Rideout, S. L., S102, S152
Riggs, R. D., S59, S152
Riley, D., S149
Riley, I. T., 321
Riley, K. L., S14
Riley, M. B., S21, S61
Riley, R. T., S29
Riley, T., 361
Rimé, D., S69
Rimelspach, J. W., S40, S80
Rimmer, R., S47
Risk assessment, concept and the future, S100
Ristaino, J. B., 181, 1189, S11, S30, S53
Ritchie, D. F., 197, S62, S85, S107
Rivas, E., S130
Rivas, J., S117
Rivas-Davila, M. E., S33
Riveland, N., S140
Rivera Peña, A., 688
Rizkalla, L. R., S69
Rizzo, D. M., 597, S17
Robbertse, B., S102
Robert, C., 762
Roberts, D. P., S48, S55, S69, S143
Roberts, P. D., 273, S27, S36, S81, S132
Roberts, R. G., S88
Roberts, S. J., 105
Robertson, C. L., S69
Robertson, L., S8
Robertson, N. L., S69
Robles, L., S70
Roche, M. M., S67, S70, S74
Rochon, D., 87
Rodrigues, M., S132
Rodríguez, D., S128
Rodríguez, E., S125, S132
Rodríguez, F., S114
Rodriguez, H. A., S18
Rodríguez, J. G., S115, S135
Rodriguez, M. C., S70
Rodríguez, O., S133
Rodríguez, Y., S117, S133
Rodriguez-Alvarado, G., S25
Rodriguez-Kabana, R., S79
Rodríguez Manzano, A., S120
Rodríguez Nodals, A. A., S120
Roeckel-Drevet, P., 308
Roelfs, A. P., S79
Rogers, J. D., S36
Rogers, P. M., S70
Roggero, P., 288
Rohde, W., S126
Rohman, P., S56
Rohrbach, K., S76
Rojas, M. R., 487
Rojas, X., S123
Román, B., 1262
Romberg, M. K., S70
Romero, A. M., 197
Romero, J., S70
Romero, S., S133
Romero-Cova, S., S123
Rooney, S. N., S24, S32
Roossinck, M. J., S89
Roper, M. C., S70
Rosales, I. M., S133
Rosato, Y. B., S51
Rosburg, T., S138
Rose, black spot, fungicides, in Alabama, S8
Rosenberger, D. A., S145, S146
Rosenzweig, N., S71
Rossi, L. A., S112
Rosskopf, E. N., S2, S71
Rothrock, C., S30, S56
*Rotylenchulus reniformis*, on cotton, fungus infection of eggs, S152
Rouse, D. I., S26
Rouse, R. E., S132
Rouxel, T., 1122
Row, J. M., S140
Rowe, D. E., 204
Rowe, R., S61
Rowhani, A., S3, S71
Roy, A., S71
Roye, M., S127
Royer, M., 65
Rubiales, D., 294, 1262
Rubio Covarrubias, O., 688
Rudolph, R., S74, S148
Ruíz, M., S122
Ruiz-Tapia, J. M., S133
Rupe, J. C., S71
Rush, C. M., 659, *1026*, S10, S79
Russell, J. B., S71
Russin, J. S., S3, S149, S152
Rust fungi, obligate-parasitic life style, S103
Rybicki, E. P., 81
Ryder, E. J., S7, S32
Ryegrass, *Pyricularia grisea* and *Rhizoctonia solani* interaction, in turf, S82
Ryu, C.-M., 1329
Ryu, K. H., 156

Saad, A. T., S71
Sabadell, S., S123, S134
Saballos, A., S127
Sabio, C., S127
*Saccharomyces* sp., antifungal peptide in, post-harvest disease control, 33
Saeed, Z. H. M., S71
Safley, C. D., S25
Saftner, R. A., S46, S67
Sagaram, U. S., S72
Saint-Jean, S., S72
Salam, M. U., 1110
Salas, B., S20
Salati, R., 487
Salinas, K. A., S72
*Salmonella*, plant colonization by, health risk, S21
Salomon, R., 1167, S74
Samac, D., S12
Samad, R. A., 1323
Sampedro, J., S121, S122
Sams, C. E., S9, S49, S63
Samuels, G. J., 1032
Samuels, T. D., S140
Sánchez, S., S121, S122
Sánchez-Campos, S., 842
Sánchez-Cuevas, M. C., S134
Sanchez-Yañez, J. M., S25
Sanders, D. C., S25
Sanders, H., S149
Sandoval, I., S127
Sandoval, L., S131
Sanitation, alternate control measure for virus and bacteria in Cuba, S123
Sanogo, S., 1032, S2, S72, S101
Santos, R., S117, S134
Santoso, A., S8, S137
Sarría, Z., S122
Satovic, Z., 1262
Saude, C., S72
Sauerborn, J., 59
Saunders, J. W., S43
Savard, M., S7
Savelle, A. T., S73
Sawa, Y., S38
Sawchyn, K., S9
Sawyer, S. A., S58
Says-Lesage, V., 308
Schaad, N. W., 721, S2, S42, S52, S66, S72, S110
Schaafsma, A. W., 534
Schadler, D. L., S113
Schardl, C. L., 400, S35, S62
Scheef, E. A., S72
Scheets, K., S68
Scheidegger, K. A., S73
Schelberger, K., S4
Scherer, M., S4
Scherm, H., 631, 877, A1025, 1104, S44, S59, S73, S100
Scheuerell, S. J., S50
Schilder, A. M. C., S29, S61, S86
Schilling, J. S., S73
Schimelfenig, J., S29
Schindelbeck, R. R., S17
Schisler, D. A., S73
*Schizaphis graminum*, grain crop pest, virus transmission factors, 970
Schlub, R. L., S73
Schmidt, C., S106
Schmidt, M. E., S3, S149
Schmitt, D. P., S15
Schmitt, M., S18
Schnabel, G., S73
Schneider, D. J., S102
Schneider, J. H. M., S83
Schneider, R. W., S11, S69
Schneider, S. M., S10
Schneider, W. L., S75
Schoedel, B., S74
Schoelz, J., 190, S46
Scholl, E. S., S103
Schollmeyer, M., S28
Scholz-Schroeder, B. K., S49
Schouten, A., S99
Schroeder, K. L., S53, S74
Schubert, T. S., S31
Schultheis, J. R., S37
Schulthess, F., 120
Schulze, D. G., S80
Schumann, G. L., S112, S113
Schuster, G. L., S72
Schutte, G. C., 464
*Sclerotinia* spp., sclerotial survival, California, S88
—*S. homoeocarpa*: on bentgrass, resistance variability, S13; on creeping bentgrass, geographic incidence, S83; nicobifen for control, S73; on turfgrass, fungicides, S10; on turfgrass, geostatistical analysis, S37; on turfgrass, hypovirulence, S19; on turfgrass, thiophanate-methyl and propiconazole, in Ohio, S40
—*S. minor*, on lettuce, resistance evaluation, S32
—*S. sclerotiorum*: on bean, control alternatives, S105; on canola, phylogeography and genotype–symptom association, 785; on canola, plant architecture effect, S40; on dry bean, calcium effect, S18; polygalacturonases, growth modes, S47; on potato, microsatellite markers, Washington, S41; sclerotial viability, fungicides, S48; *S. minor* relation, hypovirulence, dsRNA transmission, 780; on soybean, clones from legumes and crucifers, New York and Canada, S42; on soybean, resistance selection, S31; on soybean, soil temperature effect on sclerotia and apothecia, S56
—*S. trifoliorum*, on alfalfa, relation to *Sclerotium* resistance, 204

*Sclerotium rolfsii*
—on alfalfa, resistance enhanced by *Sclerotinia*, 204
—on peanut, pod breakdown and calcium, S72
—sclerotium viability, fungicides, S48
—on tomato, soil factors and yield, 181
Sconyers, L. E., S74
Scott, E. S., S42
Scott, J. B., S101
Scott, J. S., S65
Scott, W. D., S74, S152
Sears, J. L., S87
Sebastián, B., S134
Sechler, T. M., S50, S67, S70, S74
Secor, G. A., S137
Sedegui, M., S74
Seebold, K. W., S17, S74, S79, S150, S152
Seeland, T. M., S11
Seem, R. C., 671, 1068, S41
Seguin-Swartz, G., S47
Seifers, D. L., 1167, S74
Seijo, T. E., S150
Semer, C. R., S150
Semighini, C. P., 1048
Senaratna, T., S86
Seo, Y., S75
*Septoria* spp., on woody perennials, molecular phylogenetic relations, S25
—*S. passerinii*, on barley, sexual cycle, S30
Serdani, M., S46
*Serratia marcescens*, on cucurbit, genotypic typing, S90
Sesma, A., 909, S103
*Setaria viridis*, biocontrol, pathogen strategy, S9
Sether, D. M., 928
Settle, D., S75
Seybold, S. J., S43
Sh Pekhtereva, E., S52
Shah, D. A., 511
Shalaby, A. A., S75
Shaner, G., S75
Sharon, A., 590, 743
Sharpe, A. G., 1134, S47
Shatley, D., 1349
Shatters, R. G., Jr., S36
Shaw, M., S82
She, Y.-M., S74
Shealy, R., S106
Shelton, J., S82
Shelton, K. L., S112
Shepherd, L. M., S56
Sherman, D. J., S75
Sherwood, J. E., 210, S6, S28, S43
Sherwood, J. L., 729, S4
Shew, B. B., S21
Shew, H. D., S79
Shi, Q. J., S75
Shibli, R., S34
Shiel, P. J., 694
Shields, E. J., S93
Shier, W. T., S1
Shim, W. B., S76
Shinohara, H., S89
Shishkoff, N., S146
Shoemaker, P. B., 1189, S112
Shon, K. J., S105
Shoop, E., S106
Shtienberg, D., 417, 976
Sidwell, R., S38
Sierra-Suárez, J. M., S132
Sikora, E. J., S76
Sikora, R. A., S41, S98
Sillero, J. C., 294
Simmons, L. J., S76
Simpfendorfer, S., S2
Simpkins, S., S110
Simpson, C. E., S15
Singh, P., A1025
Singleton, L. L., S38, S140
Sipes, B. S., S15, S76
Sirvent, T. M., S76
Sivasithamparam, K., S42, S86
Skaf, J. S., S110
Skaria, M., S76
Skinnes, H., 710
Smart, C. D., S77, S145, A1024
Smiley, G. C., S93
Smiley, R. W., S77
Smith, B. J., 1055, S77, S153
Smith, D. M., 970
Smith, D. R., S95
Smith, G. S., S38
Smith, J. A., S35
Smith, J. P., S25
Smith, K. P., S98
Smith, L. J., S77
Smith, M. A., S83
Smith, R., 378, S22, S53, S77, S103
Smither-Kopperl, M. L., S21, S28
Snook, M. E., S149
Snyder, C. L., 217
Snyder, G., S111
Soeldner, A. H., S74
Soil microbiology
—analysis using fingerprinting, S82
—population monitoring, real-time PCR, S143
Soil solarization, mosaic viral and Phyllosticta foliage diseases, on snapbeans, S79
*Soilborne wheat mosaic virus*, on winter wheat, inoculation methods, 347
*Solanum* spp. (see also Potato)
—*S. bahamense*, new host for plant viruses, S2
—*S. phureja*, early blight, diploid hybrids, S147
Soliman, A. M., S75
Somai, B. M., 997
Song, S. B., S37
Soon, C. Y., S46
Soppe, R., 1349
Sorensen, B. J., S78
Sorghum
—ergot, weather pattern and prevalence in Texas, 659, *1026*
—irrigation and charcoal rot relation, S10
*Sorghum mosaic virus*, on sugarcane, in Louisiana, S32
Soto, M. J., S78, S134
Sotomayor-Ríos, A., S114
Souche, S., 288, 563
Souza, N. L., S64
Soybean
—*Agrobacteriumm*-mediated germ-line transformation, S53
—*Alfalfa mosaic virus* and *Tobacco streak virus* on, symptom changes, S78
—aphid resistance, S36
—*Bean pod mottle virus*, isolate diversity, 446
—*Bean pod mottle virus* and *Soybean mosaic virus*, in Nebraska, S141
—brown stem rot: crop rotation effect, S140; resistance, S80
—cyst nematode: classification test, S59; glyphosate tolerance, resistance, S29; hatching and pH, 456; inbred lines, S7; peptides inhibiting secreted cellulase, S20; quantification, remote sensing, S140; soil pH effect, S56; stress and satellite images, S138; stress caused by, satellite images, S32
—disease resistance, use of markers, S8
—disease selection using DNA from seed, S137
—diseases and seed quality, fungicides, S151
—genes, defense-related, S31
—green leaf area index, radiometer use, S58
—management, SMART program, S148
—*Meloidogyne incognita*, cultivars in Illinois, S3
—microarrays, gene expression analysis, S106
—Phytophthora root rot, chitinase accumulation, S49
—*Phytophthora sojae*, races in Ohio and Indiana, S39
—reniform nematode, cultivar response, S150
—rust, detection by PCR assay, 217
—Sclerotinia stem rot, Bayesian mapping, S102
—sudden death syndrome: on Delmarva, S151; root system characteristics, S61; tillage and variety effect, S152; tillage effect, S152
—systemic defense potentiation, S45
—transgenic, Round-up Ready gene, S139
—viruses, agronomic effect on, S139
*Soybean dwarf virus*, aphid vectors, in Illinois, S34
*Soybean mosaic virus*
—aphid immigration and soybean canopy, S46
—coat protein gene, transformed soybeans, 478
—glycophosate and imazamox effect, S45
—spatial and temporal dynamics, S140
Spaid, D. G., S150
Sparks, R., S8, S137
Spear, R. N., S53, S78
Species, definition and population, botryosphaerial mire, S95
Spencer, M., S51
*Sphaeropsis sapinea*, on *Pinus nigra*, detection in tissue, S26
*Sphaerotheca macularis*, on hop, infection risk, S100
Spilker, D. A., S38
*Spilocaea pyracanthae*, scab, formae speciales, 314
Spinach, leaf spot, Washington, S21
*Spiroplasma kunkelii*
—genome, DNA segment, S91
—transfer region characterization, S5
Spitko, R. A., S55, S78
Spore dispersal, splash droplet formation, hydrodynamics, S72
Spores, storage, petroleum jelly, S8
Spotts, R. A., S78
Squash, Phytophthora crown rot, fungicides, S74
*Squash leaf curl virus*, reassortant with related viruses, on cucurbits, 734
*Squash yellow mottle virus*, on cucurbits in Costa Rica, S125
Sreenivasaprasad, S., 986
St. Augustinegrass, gray leaf spot, resistance components and silicon, S148
St. Martin, S. K., S10, S11
*Stachybotrys* spp.
—*S. chartarum*, human health concerns, S93
—*S. elegans*, gene encoding chitinase, molecular cloning, S144
Stack, J. P., S106
Stack, R. W., S78, S139, S140
*Stagonospora nodorum*, on wheat
—seed infection, prediction using rainfall-based model, 511
—temperature sensitivity, S42
Stall, R. E., 273
Stall, W. M., S58
Standing, K., S74
Stanker, L., S21
Stanley, M. S., 378
Stanosz, G. R., S95
Stansbury, C. D., 321
St-Arnaud, M., S143
Starner, V. R., S80
Starr, J. L., S15
Statistics
—failure time analysis, epidemiology, S100
—multivariate, research use, S101
Stead, D. E., S110
Steadman, J. R., S3, S8, S64
Steddom, K., 850, 857, S10, S79
Stefani, E., S52
Stefanova, M., S134
Steffenson, B. J., 1064, S91
Steinlage, T. A., 478, S140
*Stemphylium vesicarium*, on pear, relative hu-

midity and moisture effect, 99
Stenger, D. C., 734, S104
Stevens, C., S9, S79
Stevenson, K. L., S74, S79, S102, S152
Stevenson, W. R., S44, S70, S71, S105
Stewart, D. W., 534
Stienman, J., S85
Stierl, R., S4, S79
Stinson, A. M., S31
Stobbs, L. W., S13
Stockett, T. M., S43
Stockwell, V. O., 1202, S107
Stone, A. L., S29, S75
Stone, J. K., 112, S95
Stoneman, W. F., S105
Stowell, L. J., S52
Strausbaugh, C. A., S9
Strawberry
—anthracnose: histopathology, 1055; protein-transgenic strains, pathogenicity, 743
—black root rot: biocontrol agent, transplant root dips, S61; stramenopiles and pathogenicity, S1
—*Botrytis cinerea*, fungicides and resistance profiles, S153
—Botrytis fruit rot, yield variation, S50
—crown and fruit rot, population genetics of pathogen, 1245
—foliar diseases, spatial patterns, S59
—gray mold, flower tagging of infection, S37
—Messenger as growth enhancement, S67
—Pallidosis disease, *Crinivirus*, S82
—powdery mildew, risk model, S36
—rhizobacteria, soilborne pathogens, S34
—soilborne pathogens, remote sensing, S51
—soilborne pests, management and plasticulture system, S25
—Verticillium wilt, crop rotation, management, S40
—virus resistance, S115
*Streptomyces* spp.: cryptic plasmid, DNA sequence analysis, S16; culture collection, antibiotic and genetic characteristics, S17; on potato, pathogenicity region, S85
—*S. scabies*, on potato, soil moisture effect, S66
—*S. setonii*, endophytic, bioactivity, S16
—*S. turgidscabies*: nitric oxide synthase, thaxtomin biosynthesis, S84; nitric oxide synthase protein, characterization, S11; pathogenicity island, mobilizable, S41
*Streptopus amplexifolius*, virus detected in, Alaska, S69
Strobel, G. A., S31
Stromberg, E. L., S11, S142, S143
Sturbaum, A. K., S25
Stuteville, D. L., S138, S140
Stuthman, D., S12
Styer, W. E., 1167
*Stylosanthes* spp., *Colletotrichum gloeosporioides*, variation in Brazil, 553
Suárez, A., S135
Subbarao, K. V., 232, 631, S7, S40, S68, S88, S103
Subramanian, S., 273
Sudangrass, corn flea beetle, bacterial leaf blotch relation, S82
Sugar beet
—Aphanomyces root rot, biocontrol and induced resistance, S55
—Cercospora leaf spot: fungicides, S8; fungicides and biocontrol, management, S44; prediction model, S41; transformation with export gene, S43
—damping-off, biocontrol with *Trichoderma*, S33
—leaf spot, pathogen detection protocol, S45
—rhizomania, spectral properties, S79
—soilborne viruses, vector effect, S87
—syndrome "basses richesses," phytoplasma and bacteria, 384
Sugar, D., 1202
Sugarcane
—cultivar resistance to diseases, S114
—*Leifsonia xyli* on, detection methods, S124
—nematode damage, suppressive soil, S69
—rust, defense response, S126
—smut, in Cuba, S125
—yellow leaf syndrome, phytoplasma, in Cuba, S115
Sukno, S. A., 1227, 1236
Sullivan, M. J., S79
Sun, X., 361
Sundin, G. W., S38, S79, S90
Sunflower
—*Orobanche cumana* on, resistance activated by benzothiadiazole, 59
—stem canker, molecular variability of pathogens, 308
*Sunflower mosaic virus*, host range and characterization, 694
Suppressive soil, *Rhizoctonia solani* on wheat, anastomosis groups 5 and 8, 1301
Sustainable disease control, 10,000 years of experience, S109
Sutton, T. B., S30, S35
Sutton, W., S30, S33, S54
Sutula, C. L., S34, S74, S111
Sweat, T. A., S104
Sweet cherry, powdery mildew, surface pitting, S78
Sweetingham, M. W., 1110
Sweetpotato, viruses, detection, S59
Sweigard, J., S7
Sycamore, leaf scorch, tolerance screening, S13
Sydorovych, O. B., S25
Symposia
—methyl bromide alternatives, deadlines, 1334–1375
—grape: black rot, epidemiology and management, 676; powdery mildew, resistance and disease management, 671
—Melhus graduate student, disease losses and management, 667
—*Phytophthora capsici*, spatiotemporal genetic structure, disease management, 681
*Synchytrium endobioticum*, on potato, soil assay, S46
*Syngonium* spp., Myrothecium leaf spot, resistance, S60
Sysak, R. W., S29
Szabo, L. J., S12, S79, S103

Tabor, G. M., S80
Takabayashi, N., 1182
Takamura, K., 1315
Takayama, Y., S41
Tal, M., 827
Talbot, M. M., S80
Talhinhas, P., 986
Taliaferro, C., S141
Tally, A., S108
Tang, X., S102, S138, S139, S141
Tans-Kersten, J., S3
*Tapesia yallundae*, *T. acuformis* comparison, mating type and apothecia, 703
Tapper, B. A., S62
Taylor, A. M., 1227, 1236
Taylor, E. L., 361
Taylor, G., S144
Taylor, J. D., 105, 1134
Taylor, S. E., S6
Taylor, T. V., S80
Teaching
—educational program specialist, S112
—graduate, on Internet, S112
—interactive television, S112
—online and residential instruction, S112
—online course to non-majors, S111
—science in non-major labs, S138
—web-based instruction standards, S112
Techniques, pythiaceous species from irrigation water, membrane filters, 610
Teixidó, N., 281
Tekauz, A., 710
Téllez Rodríguez, P., S132
Teni, R. E., S54
Tenuta, M., 255, 548
Teran, H., S133
Testa, A., S102
Thannhauser, T., S59
Theilmann, J., 87
Thibaud-Nissen, F., S106
Thies, J. A., S80
Thomas, C. S., S100
Thomas, G. J., 1110
Thomas, J. G., S148
Thomas, M. R., 553
Thomas, S. L., S80
Thomashow, L. S., S53
Thompson, C. M., S86
Thompson, D. C., S80, S112
Thompson, I. A., S80
Thomsen, I. M., S14
Thomson, K. C., S84
Thomson, S. V., S60
Thon, M. R., S80
*Thrips* spp.
—*T. setosus*, *Tomato spotted wilt virus* replication in, S4
—*T. tabaci*, *Tomato spotted wilt virus* vector, host preference and reproductive strategy, 603
Thurston, H. D., S109
Tian, Y., S81
Tiang, M., S102
Tiffany, L. H., S6
Tiffany, M. G., S111
*Tilletia* spp.
—*T. controversa*, new race, characterization, S30
—*T. indica*: teliospore sterilization, acidic electrolyzed water for, S142; on wheat, allee effect, invasive potential, letter to editor, 1152; on wheat, detection using PCR, S123; on wheat, establishment factors in Australia, 321
—*T. maclaganii*, on switchgrass, reactions, S140
—*T. tritici*, teliospore germination, pheromones, 210
Timmer, L. W., 794, 1267, S7, S15, S57, S64
Tisdell, R. H., S93
Tisserat, N. A., S38, S58, S75, S138, S141
Toapanta, M. A., S152
Tobacco
—black shank, race structure, variety rotation, S79
—blue mold: isolate genetic uniformity, 1236; necrotic response in leaves, S35; restriction fragment length polymorphism probes, contamination-free, 1227
—*Tomato spotted wilt virus*, rhizobacteria effect, S150
*Tobacco mosaic virus*
—gene silencing and resistance, S129
—systemic infection, S46
*Tobacco ringspot virus*
—nematode transmission, germ plasm screening, S28
—transmission by nematode, 646
*Tobacco streak virus*, on soybean, Wisconsin, S67
Tobias, D. J., S140
Todd, J. W., S51
Todd, T. C., S38, S58, S75
Tohamy, A. M., S81
Toledo, V., S127
Toledo Sampedro, V., S133
Tolin, S., 446
Tomato (see also *Lycopersicon hirsutum*)

—bacterial canker, outbreak in California, S75
—bacterial leaf spot, bacteriophages for control, S108
—bacterial speck, biocontrol, 1284
—bacterial spot: bacteriophage and SAR inducers, S60; bacteriophage for control, S6; biocontrol and resistance inducers, in greenhouse, S60; neem oil and fish emulsion applications, S1
—begomovirus: on, detection in lines, S126; detection method, S121; genetic variability, S136; resistance in Guatemala, S54
—cDNA, lipid transfer protein homology, arachidonic acid, A1025
—damping-off, *Monarda didyma* effect, S31
—early blight, intercropping effect, S77
—Fusarium crown and root rot: biocontrol with *Paenibacillus* and *Trichoderma* spp., S118; compost-mediated induced resistance, 424
—Fusarium wilt: environment and biocontrol, 1160; *Penicillium oxalicum* as biocontrol agent, 863
—insects and diseases, monitoring in Nicaragua, S129
—late blight, protection by plant growth-promoting rhizobacteria, 1329; protection from peptide fusion, A1024
—leaf curl, begomovirus genomes, interspecies recombination, S38
—*Pseudomonas syringae*, induced cell death, S141
—southern blight: compost amendments, S49; soil factors and yield, 181
—spontaneous cell death, *Pto* overexpression, S139
—zebra-stem symptoms, *Pto* gene association, S69
*Tomato leaf curl Karnataka virus*, recombinant begovirus, India, 637
*Tomato mosaic virus*, diagnosis, in tomato and pimiento seed, *Tobacco mosaic virus* comparison, S121
*Tomato ringspot virus*, transmission by nematode, 646
*Tomato spotted wilt virus*
—glycoprotein, baculovirus expression, S86
—inoculation automation, S50
—nucleocapsid gene, introduced into peanut, S15
—on pepper, symptoms and resistance cultivars, S83
—recombinant protein, *gen-n*, S121
—replication in adult thrips, S4, 729
—transmission by thrips, efficiency, 603
*Tomato yellow leaf curl virus*
—on pepper in Cuba, S132
—tomato germ plasm resistance to whitefly-transmitted viruses in Guatemala, S127
—vector endosymbiosis, S96
—in whiteflies and reservoir hosts, 487
*Tomato yellow leaf curl Sardinia virus*
—comparison, detection, Morocco, S74
—genetic stability, in Spain, 842
Tomlinson, L., S68
Tonn, J. R., S36
Tooley, P. W., S81
Torres, A. M., 1262
Torres, D. B., S132
Torto, T. A., S102
Tosa, Y., 1182
Tourvieille de Labrouhe, D., 308
Tourvieille, J., 308
Towers, G., S146
Townley, A., S135
Tracy, M., S81
Trail, F., S31, S43
Tredway, L. P., S146, S152
Trent, M. A., S149
Trent, M. E., S91
Trently, D. J., S31
Trevathan, L. E., S135
*Trichoderma* spp., biocontrol agent, cotton damping-off, 177
—*T. stromaticum*: on *Crinipellis perniciosa*, mycoparasite on cacao, 1032; mycoparasite of *Crinipellis perinicosa*, nutrition, S72
*Trichosporon pullulans*, *Botrytis cinerea* conidia as vectors, 1293
Trick, H., S141
Trout, T. J., S10
Trout, T., 1349
Trouvelot, S., 936
Troxell, S. J., S28
Trujillo, G., S117
Trujillo, R., S131
Tsang, C., S76
Tsitsigiannis, D. I., S81
Tsror (Lahkim), L., 827
Tsukiboshi, T., S89
Tsushima, S., S89
Tsuyumu, S., S65, S89
Tubajika, K. M., S81
Tudor, S., S36
Tuffley, J. W., S82
Tumban, E., S82
Turechek, W. W., S19, S33, S100, S101
Turfgrass
—blight, trifloxystrobin for control, S38
—gray leaf spot on ryegrass and other hosts, 245, *1253*
—rapid blight, new disease, S52
—snow mold, fungicides, S13
—strobilurins, disease management, S111
—yeast populations, fungicides for S10
Turgeon, B. G., S93, S102
Turini, T. A., S82
Turnbull, G. D., S85
Turnip, Cercospora leaf spot, management alternatives, S149
*Turnip mosaic virus*
—on cabbage, internal necrotic spots, cover photo, August
—on white cabbage, relation to *Beet western yellows virus* and *Cauliflower mosaic virus*, internal disorders, 816
Tworkoski, T. J., S39
Tylka, G. L., S32, S80, S138, S140
*Typhula* spp.
—nuclear ribosomal DNA, internal transcribed spacer region, S56
—on wheat, geographical distribution in Wisconsin, S72
Tzanetakis, I. E., S52, S82

Uddin, W., 232, S82, S83
Uhm, J. Y., S37
Ullman, D. E., S86
Ullrich, M., S79
Upper, C. D., S96
Ureña-Padilla, A. R., 1245
*Uromyces* spp.
—*U. appendiculatus*: on bean, molecular markers and phenotype, S3; on bean, virulence distribution in field, 755; genetic diversity, AFLP analysis, S64
—*U. viciae-fabae*, on faba bean, resistance, histology, 294
Urs, R. R., S81
Usall, J., 281
*Ustilago* spp.
—*U. hordei*: mating and germination inhibitors, pheromone, S43; mating and pheromones, 210
—*U. maydis*: cuitlacoche yield from, pollination effect, S64; dimorphism, differential gene expression, S27
—*U. scitaminea*, on sugarcane: genetics and detection with PCR, S128; races in Cuba, S132; resistance mechanisms, S125
Uyemoto, J. K., S71

Vaiciunas, J. N., S146
Vaillancourt, L. J., 803, S26, S57
Valadez Moctezuma, E., S130
Valcárcel, M., S122
Valdés, S., S117, S122
Valdivia, O., S131
Valent, B., S7, S41
Valinsky, L., S82, S89
Vallejo, I., S82
Vallim, M. A., 1048
Van, K. P., S110
Vanamala, A., S83
van Berkum, P., S64
van Brouwershaven, I. R., 464
van Bruggen, A. H. C., 631
Van Camp, K. L., S145, S146
Van Cauwenberge, J. E., S73
Vandemark, G. J., 265
Van den Berg, P., S120
van den Boogert, P. H. J. F., S46
van den Heuvel, J. F. J. M., S96
van der Aa, H. A., 464
Van der Walt, E., 81
van der Wilk, F., S96
Van Driel, L., S13
van Es, H. M., S17
VanEtten, H. D., S70
Van Peteghem, P., 497
Van Roekel, J. W., S8
van Santen, E., S151
VanToai, T., S11
van Vuuren, S. P., S36
van Wijk, K. J., S59
Vargas, J. M., Jr., S22, S37
Varn, J., S80
Varveri, C., 563
Vasanthakumar, A., S83
Vautrin, S., 384
Vegetables, greenhouse pathogens, disinfectants, S13
Velázquez, K., S115
Velazquez-Monreal, J. J., S83
Vélez, H., S83
Venette, J., S18
*Venturia inaequalis*
—on apple: ascospore distribution in orchards, 769; on apple, ascospore production, leaf wetness, S145; on apple, genes of resistant locus, S2
—on apple and *Pyracantha*, two formae speciales, 314
Verchot-Lubicz, J., 347
Vereijssen, J., S83
Verhalen, L. M., 1323
Verissimo, P., S33
Verkley, G., 464
Verstappen, E. C. P., 439
*Verticillium* spp., on horseradish, root discoloration and control, S5
—*V. dahliae*: on lettuce, genetic analysis of resistance, S7; microsclerotia, ammonia and nitrous acid for destruction, 255; microsclerotia, destruction by liquid swine manure, 548; molecular basis of hosts, S68;
on strawberry, vegetative compatibility groups in California, S34; on wood chip mulch, source, S26
Vicente, J. G., 105, 1134
*Vicia faba*
—leaflet irradiation, glycoproteins, S38
—rust, resistance and histology, 294
Vick, C. M., S152
Vidaver, A. K., S2, S14
Vidavski, F., S54, S127
Vigil, M. E., S83
Viguié, A., 308
Viji, G., S82, S83
Vilchez, M., S129
Villanueva Verduzco, C., S127

Viñas, I., 281
Vinokur, V., 393
Vintal, H., 164
Viruses
—chaperonin camouflage, S96
—diagnosis, heat treatment as tool, S44
—diagnosis in vegetables, grape, and citrus in Tunisia, S30
—geminivirus, resistance genes and phage display, S33
—gene silencing in protoplasts, S67
—*Solanum bahamense* as experimental host, S2
—survey on faba bean, lentil, and chickpea, in Egypt, S69
—transmission by nematodes, 646
—vector role, S104
—vector transmission, helpercomponent-trans-complementation, mini-review, 576
—vectors: agriculture and biotechnology, S105; vaccine components, S105
Vjugina, U., S89
Vodkin, L. O., S106
Vodrazka, K., S148
von Bodman, S. B., S57, S97
von Broembsen, S. L., S84
von Tiedemann, A., 145

Waalwijk, C., S30
Wach, M., S84
Wagner, A., S52
Wagner, E., S102
Walcott, R. R., S84, S149
Walk, T., 456
Walker, J. T., S84
Walker, N. R., S84, S88, S152, S153
Wall, G. C., S136
Wallace, L., S96
Walsh, J. A., 816
Walsh, K., S122
Walters, S. A., S3, S71
Wamishe, Y. A., S84
Wang, D., 1344
Wang, G. L., S39, S106
Wang, H., S85
Wang, J., S45, S59
Wang, K. N., S152
Wang, K.-H., S85
Wang, L., S85
Wang, P., S13
Wang, S. (Arkansas), 646
Wang, S. (China), 750
Wang, S.-Y. (California), S84
Wang, T. C., S143
Wang, X., S85
Wang, Y., 51, S151
Wang, Z., A1024
Wangsomboondee, T., 1189, S85
Wanner, L. A., S85
Ward, B. D., S148
Ward, L. J., S46
Ward, M. D., S111
Wardlaw, M. C., S148
Warnke, S., S17
Wasilwa, L., S61, S146
Wasson, J., S87
Watermelon
—bacterial diseases, in Illinois, S5
—Fusarium wilt, hairy vetch soil amendment, S91
—ozone injury, North Carolina, S37
—vine decline, nature and host specificity, S34
Watrud, L. S., 112
Watson, A. K., S142
Watson, M. E., S13
Website (see also Internet), plants, pathogens, and people, plant disease introduction, S22
Webb, C., S141
Webb, D. A., 497
Weber, A., S85
Weber, Z. W., S152
Wedge, D. E., S85, S153
Wegulo, S. N., S22, S29, S45, S87
Wei, Z.-M., S67
Weibel, E. N., S146
Weiland, J. J., S55
Weiss, B., 393
Welham, S. J., 497
Weller, D. M., 129, S53, S54
Weller, S. A., S110
Wells, L., S51, S149
Weng, Z., S86
West, D. R., S9
Westerdahl, B. B., S105
Wetzel, H. C., III, S6, S73
Weyant, R., S90
Weyman, P. D., A1025
Wharton, P. S., S86
Wheat
—biocontrol agent in rhizosphere, root architecture, S61
—bunt, teliospore germination and pheromones, 210
—common root rot, susceptibility, S140
—eyespot: residue burning and factors, S38; species, mating type, and apothecia, 703
—eyespot and *Wheat streak mosaic virus*, resistance, S137
—floral extracts, effect on *Fusarium graminearum*, S23
—foliar blight, rice-wheat systems in Asia, S109
—fungicide treatments, growth effect, S135
—Fusarium crown rot, damage in Pacific Northwest, S77
—Fusarium head blight: epidemic in Ohio, S23; epidemiology, S93; freeze-drying protocol for antagonist, S73; inoculation timing, mycotoxin, severity, S24; resistance genes and chromosome location, S78; stem rust resistance, S139
—head blight and crown rot in Australia, S2
—Karnal bunt: allee effect and invasive potential, letter to editor, 1152; establishment factors in Australia, 321
—leaf rust: seedling and adult-plant resistance genes, S84; uredospore production, carbon and nitrogen relation to lesion size and density, 762
—leaf and stripe rust, infection efficiency, light effect, 1308
—*Magnaporthe grisea*, gene-for-gene relation, 1182
—*Mycosphaerella graminicola*: on, isolate aggressiveness in cultivars, 624; sexual reproduction frequency effect, 1175
—pseudomonad association, fluorescent, S27
—*Rhizoctonia solani*, soil suppressiveness, S53
—root-lesion nematode, semiarid environment, S77
—root pathogens, severity, on barley, Idaho, S9
—Septoria tritici blotch: cultivar mixture effect, 617; gene-for-gene relation, 439
—Septoria tritici leaf blotch, resistance and molecular mapping, S2
—*Soilborne wheat mosaic virus*, inoculation methods, 347
—stripe rust: in Asia, S88; resistance and markers for detection, S14
—take-all: biocontrol, S54; detection using PCR, S143; gene expression in roots, S140; management factors in Arkansas, S56; ribosomal DNA phylogeny, S26
—tan spot: host-selected toxin, 38; toxin and resistance gene, 527; toxin from new race, S3
*Wheat streak mosaic virus*, vector gene expression, S104
Wheeler, T. A., S72
Whistler, C. A., S86
White, D. C., S49
White, D. G., S53
White, F. F., S138
White, J. H., S21, S28
Whitfield, A. E., S86
Whittaker, G., S65
Wichman, R. L., S86
Wick, R. L., S144, S147
Wickert, E., S86
Wickizer, S. L., 646, S28
Widders, I., S4
Widholm, J., S47
Widstrom, N. W., S149
Wiecko, A. T., S136
Wilcox, W. F., 676, 1068, S41, S91
Wilhelm, S, 1349
Wilkinson, H. T., S26
Williams, H., S57
Williams, M. G., S86
Williams, W. P., S87
Williamson, J. D., S83
Williams-Woodward, J. L., S58
Willie, K., S14
Willment, J. A., 81
Wilson, A. D., S87
Wilson, C. L., 900, S9
Wilson, C. R., S101
Wilson, D. M., S87, S149
Wilson, J., S29, S87
Wilson, L. L., S23
Wilson, M. (Colorado), 1284, 1329
Wilson, M. A. (Missouri), S9, S79
Windels, C. E., S9, S22
Windham, G. L., S87
Wing, R., S39
Winkler, V. W., S55, S87
Wintermantel, W. M., S87
Winton, L. M., 112, S95
Wise, K. A., S87
Wishart, J., 884
Wisler, G. C., S87
Wolf, T. K., S142
Woloshuk, C. P., S8, S25, S37
Wolpert, T. J., S104
Wolyn, D. J., S35
Wong, F. P., S73
Wong, M.-Y., S87
Wong, S.-M., 654
Wood decay, oxalic acid and pH in cultures, S73
Wood, P., S76
Woodward, J. E., S88, S153
Workneh, F., 659, *1026*, S10
Wright, K., S111
Wu, B. M., 631, S88
Wu, J., S102
Wu, Y. X., 145
Wu, Z., 87
Wynia, R. L., S140

*Xanthomonas* spp.: avirulence genes, analysis, S65; *Dasheen mosaic virus* on, immunization, S120; on golf greens, Northeast USA and Canada, S10; on pepper, hypersensitivity, 273; phylogenetic marker, heat-shock gene, S51; on tomato and pepper, neem oil and fish emulsion applications, S1
—*X. albilineans*: genetic diversity in Cuba, S118; serological diversity, in Cuba, S130
—*X. arboricola*, on prune, detection with PCR primer and DNA probe, S62
—*X. axonopodis*: on bean, resistance, cultivar, S117; on bean, strain diversity, S50; on citrus, clonal population in Brazil, S12; on citrus, epidemic in Florida, analysis, 361; on citrus, pathogenic strains, S128; on citrus, strains in Argentina, S116; on citrus, survival in lesions and inoculum dispersal, 336; on *Medicago truncatula*, stunting in accessions, S138; on pepper, hypersensitivity and temperature, 197;

selection pressure on non-functional to functional genes, S85
—*X. campestris*: antagonism by *Bacillus*, S66; on anthurium, beneficial bacteria, S4; bacteriocin antagonistic to, S36; on *Brassica* spp., homologues and elicitors, S65; on *Brassica* spp., race-specific resistance inheritance, 1134; on *Brassica* spp., resistance sources and origin, 105; on cabbage, resistance and ultraviolet light seed treatment, S9; cercosporin detoxification, S80; on cotton, near-isogenic lines for resistance, 1323; virulence and extracellular polysaccharide, S66
—*X. citri*, on citrus, strain characterization, molecular, S3
—*X. fragariae*, on strawberry, resistance, S49
—*X. oryzae*, on rice, resistance and gene mapping, 750
Xiangmin, L., S110
Xiao, C. L., S34, S50, S88
Xiao, F., S141
Xie, W., 87, S1
Xiong, Z., S86
*Xiphinema americanum*, virus vector, localization, 646
Xu, J. R., S31, S42, S47, S63, S81
Xu, R., S19
Xu, X.-M., 1005
Xu, Y., S88
Xue, A. G., S90
Xue, C. Y., S47
*Xylella fastidiosa*
—on almond, transmission by leafhopper sharpshooters, S3
—biofilm and planktonic populations, quantification, S51
—cell wall degrading enzyme, in grapevine xylem sap, S70
—on citrus: quantification by PCR assay, 1048
—on citrus and coffee, genotyping, in Brazil, S86
—on grape: one-hour diagnosis using PCR, 721; survey in Georgia, S9; citrus, and mulberry, evolutionary perspective, S14
—pathogenicity factors, gene profile, S36
—protein related to chlorosis on *Chenopodium quinoa*, S10
—strain variation, S86
—terpene effect on growth, S13
—transformation, replicative shuttle vector, S83

Yabor, L., S120
Yahyaoui, A. H., S88
Yakoby, N., 1196
Yamaguchi, I., 75
Yamak, F., 1210
Yamato, M., S88
Yan, G. P., S14
Yan, Z., 1329
Yanez, V. R., S24
Yang, H. A., 1110
Yang, J., 51
Yang, X. B., S56, S100, S101, S102
Yang, Y., 870
Yang, Z. N., S36
Yap, M.-N., S88
Yassi, M. N., S89
Yates, S. R., 1344
*Yellow dwarf virus*, on grain crops, quantification, S5
Yike, I., S93
Yin, B., S89
Ying, Z., S18
Yoder, K. S., S108, S147
Yoder, O. C., S102
Yoon, J. Y., 156
Yoshida, S., S89
Young, D. H., S53, S89
Young, N. D., S106
Ypema, H. L., S4, S6, S73, S89
Ytterberg, J. A., S59
Yu, I.-C., S103
Yu, M., S47
Yu, Y., S39
Yuan, C., S89
Yuan, R., S15
Yuen, G., S91
Yuen, J. E., S100
Yuen, J. M. F., S60
Yun, S.-H., S93

Zablotowicz, R. M., S1
Zambino, P. J., S36, S95
Zandstra, B., S4
Zapote-Martínez, C. A., S123
Zchori-Fein, E., S96
Zeller, W., S115
Zeng, H. C., S89
Zerbini, F. M., 563
Zernova, O., S47
Zhan, J., 946
Zhang, C., S32
Zhang, G., S30
Zhang, H. (Oklahoma), S88
Zhang, H. B. (Texas), 417
Zhang, J. (Ohio), S90
Zhang, J. X. (Canada), S90
Zhang, N., 1276
Zhang, Q., 750, S90
Zhang, R., S90, S147
Zhang, S., S90
Zhang, X., S90
Zhang, Y. (Oklahoma), S141
Zhang, Y. (Wisconsin), S91
Zhang, Y. P. (California), S71
Zhang, Z., S116
Zhao, A., A1025
Zhao, X., S18
Zhao, Y. (Maryland), S91, S105
Zhao, Y. F. (Oklahoma), S91
Zheng, F. C., S89
Zhong, S., S91
Zhou, B., S39
Zhou, J.-M., S91, S139, S138, S141
Zhou, S., S95
Zhou, X. G., S91
Zhu, H., S19
Zhu, L., 917
Zhu, T., S102
Zidack, N. K., S6, S31
Ziegler-Graff, V., S96
Ziems, A. D., S29, S141
Zimmerman, M. D., S40
Zitter, S. M., S91
Zitter, T. A., 997, S62
*Zucchini green mottle mosaic virus*, on cucurbits, transcripts, genome structure, 156
Zveibil, A., 164
Zwiesler-Vollick, J., S92